

CLIQUE

- We are given an undirected graph G and a goal K .
- NODE COVER asks if there is a set C with K or fewer nodes such that each edge of G has at least one of its endpoints in C .


NODE COVER

- We are given an undirected graph G and a goal K .
- NODE COVER asks if there is a set C with K or fewer nodes such that each edge of G has at least one of its endpoints in C .

CLIQUE Is NP-Complete

Corollary 17 CLIQUE is NP-complete.


- Let \bar{G} be the **complement** of G , where $[x, y] \in \bar{G}$ if and only if $[x, y] \notin G$.
- I is an independent set in $G \Leftrightarrow I$ is a clique in \bar{G} .



NODE COVER Is NP-Complete


Corollary 18 NODE COVER is NP-complete.

- I is an independent set of $G = (V, E)$ if and only if $V - I$ is a node cover of G .



MIN CUT and MAX CUT

- A **cut** in an undirected graph $G = (V, E)$ is a partition of the nodes into two nonempty sets S and $V - S$.
- The size of a cut $(S, V - S)$ is the number of edges between S and $V - S$.
- $\text{MIN CUT} \in \text{P}$ by the maxflow algorithm.
- MAX CUT asks if there is a cut of size at least K .
 - K is part of the input.



MIN CUT and MAX CUT (concluded)

- MAX CUT has applications in VLSI layout.
 - The minimum area of a VLSI layout of a graph is not less than the square of its maximum cut size.^a

^aRaspaud, Sýkora, and Vrřo (1995).

MAX CUT Is NP-Complete^a

- We will reduce NAESAT to MAX CUT .
- Given an instance ϕ of 3SAT with m clauses, we shall construct a graph $G = (V, E)$ and a goal K such that:
 - There is a cut of size at least K if and only if ϕ is NAE-satisfiable .
- Our graph will have multiple edges between two nodes.
 - Each such edge contributes one to the cut if its nodes are separated.

^aGarey, Johnson, and Stockmeyer (1976).



The Proof

- Suppose ϕ 's m clauses are C_1, C_2, \dots, C_m .
- The boolean variables are x_1, x_2, \dots, x_n .
- G has $2n$ nodes: $x_1, x_2, \dots, x_n, \neg x_1, \neg x_2, \dots, \neg x_n$.
- Each clause with 3 distinct literals makes a triangle in G .
- For each clause with two identical literals, there are two parallel edges between the two distinct literals.
- No need to consider clauses with one literal (why?).
- For each variable x_i , add n_i copies of edge $[x_i, \neg x_i]$, where n_i is the number of occurrences of x_i and $\neg x_i$ in ϕ .^a

^aRegardless of whether both x_i and $\neg x_i$ occur in ϕ .


The Proof (continued)

- Set $K = 5m$.
- Suppose there is a cut $(S, V - S)$ of size $5m$ or more.
- A clause (a triangle or two parallel edges) contributes at most 2 to a cut no matter how you split it.
- Suppose both x_i and $\neg x_i$ are on the same side of the cut.
- Then they *together* contribute at most $2n_i$ edges to the cut as they appear in at most n_i different clauses.



The Proof (continued)


- Changing the side of a literal contributing at most n_i to the cut does not decrease the size of the cut.
- Hence we assume variables are separated from their negations.
- The total number of edges in the cut that join opposite literals is $\sum_i n_i = 3m$.
 - The total number of literals is $3m$.



- $(x_1 \vee x_2 \vee x_2) \wedge (x_1 \vee \neg x_3 \vee \neg x_3) \wedge (\neg x_1 \vee \neg x_2 \vee x_3)$.
- The cut size is $13 < 5 \times 3 = 15$.

The Proof (concluded)

- The *remaining* $2m$ edges in the cut must come from the m triangles or parallel edges that correspond to the clauses.
- As each can contribute at most 2 to the cut, all are split.
- A split clause means at least one of its literals is true and at least one false.
- The other direction is left as an exercise.




- $(x_1 \vee x_2 \vee x_2) \wedge (x_1 \vee \neg x_3 \vee \neg x_3) \wedge (\neg x_1 \vee \neg x_2 \vee x_3)$.
- The cut size is now 15.

MAX BISECTION

- MAX CUT becomes MAX BISECTION if we require that $|S| = |V - S|$.
- It has many applications, especially in VLSI layout.

The Proof (concluded)

- Every cut $(S, V - S)$ of $G = (V, E)$ can be made into a bisection by appropriately allocating the new nodes between S and $V - S$.
- Hence each cut of G can be made a cut of G' of the same size, and vice versa.



MAX BISECTION Is NP-Complete

- We shall reduce the more general MAX CUT to MAX BISECTION.
- Add $|V|$ **isolated nodes** to G to yield G' .
- G' has $2 \times |V|$ nodes.
- As the new nodes have no edges, moving them around contributes nothing to the cut.