

Computational Photography

Digital Visual Effects, Spring 2007

Yung-Yu Chuang

2007/5/22

with slides by Fredo Durand, Ramesh Raskar, Sylvain Paris, Soonmin Bae

Computational photography

wikipedia:

Computational photography refers broadly to computational imaging techniques that enhance or extend the capabilities of digital photography. The output of these techniques is an ordinary photograph, but one that could not have been taken by a traditional camera.

What is computational photography



- Convergence of image processing, computer vision, computer graphics and photography
- Digital photography:
 - Simply mimics traditional sensors and recording by digital technology
 - Involves only simple image processing
- Computational photography
 - More elaborate image manipulation, more computation
 - New types of media (panorama, 3D, etc.)
 - Camera design that take computation into account

Computational photography

- One of the most exciting fields.
- [Symposium on Computational Photography and Video](#), 2005
- Full-semester courses in MIT, CMU, Stanford, GaTech, University of Delaware
- A new book by Raskar and Tumblin is coming out in SIGGRAPH 2007.

Siggraph 2006 Papers (16/86=18.6%)

Hybrid Images

Drag-and-Drop Pasting

Two-scale Tone Management for Photographic Look

Interactive Local Adjustment of Tonal Values

Image-Based Material Editing

Flash Matting

Natural Video Matting using Camera Arrays

Removing Camera Shake From a Single Photograph

Coded Exposure Photography: Motion Deblurring

Photo Tourism: Exploring Photo Collections in 3D

AutoCollage

Photographing Long Scenes With Multi-Viewpoint Panoramas

Projection Defocus Analysis for Scene Capture and Image Display

Multiview Radial Catadioptric Imaging for Scene Capture

Light Field Microscopy

Fast Separation of Direct and Global Components of a Scene Using High Frequency Illumination

Siggraph 2007 Papers (23/108=21.3%)




Image Deblurring with Blurred/Noisy Image Pairs
Photo Clip Art
Scene Completion Using Millions of Photographs
Soft Scissors: An Interactive Tool for Realtime High Quality Matting
Seam Carving for Content-Aware Image Resizing
Detail-Preserving Shape Deformation in Image Editing
Veiling Glare in High Dynamic Range Imaging
Do HDR Displays Support LDR content? A Psychophysical Evaluation
Ldr2hdr: On-the-fly Reverse Tone Mapping of Legacy Video and Photographs
Rendering for an Interactive 360-Degree Light Field Display
Multiscale Shape and Detail Enhancement from Multi-light Image Collections
Post-Production Facial Performance Relighting Using Reflectance Transfer
Active Refocusing of Images and Videos
Multi-aperture Photography
Dappled Photography: Mask-Enhanced Cameras for Heterodyned Light Fields and Coded Aperture Refocusing
Image and Depth from a Conventional Camera with a Coded Aperture
Capturing and Viewing Gigapixel Images
Efficient Gradient-Domain Compositing Using Quadtrees
Image Upsampling via Imposed Edges Statistics
Joint Bilateral Upsampling
Factored Time-Lapse Video
Computational Time-Lapse Video
Real-Time Edge-Aware Image Processing With the Bilateral Grid

Scope

- We can't yet set its precise definition. The following are scopes of what researchers are exploring in this field.
 - Record a richer visual experience
 - Overcome long-standing limitations of conventional cameras
 - Enable new classes of visual signal
 - Enable synthesis impossible photos


Scope

- Image formation
- Color and color perception




Scope


- Panoramic imaging



- Image and video registration




- Spatial warping operations





Scope

- High Dynamic Range Imaging
- Bilateral filtering and HDR display
- Matting






Scope

- Active flash methods
- Lens technology
- Depth and defocus



Removing Photography Artifacts using Gradient Projection and Flash-Exposure Sampling



Continuous flash



Flash = 0.0



Flash = 1.0



Flash = 0.3



Flash = 0.7





Flash = 1.4

Flash matting




Depth Edge Detection and Stylized Rendering Using a Multi-Flash Camera


DigiVFX





Motion-Based Motion Deblurring



Removing Camera Shake from a Single Photograph





Motion Deblurring using Fluttered Shutter DigiVFX



Scope

- Future cameras
- Plenoptic function and light fields



Scope

- Gradient image manipulation



sources/destinations



cloning



seamless cloning

Scope

- Taking great pictures



Art Wolfe



Ansel Adams

Scope

- Non-parametric image synthesis, inpainting, analogies




Figure 1 An image analogy. Our problem is to compute a new “analogous” image B' that relates to B in “the same way” as A' relates to A . Here, A , A' , and B are inputs to our algorithm, and B' is the output. The full-size images are shown in Figures 10 and 11.

Scope

Motion
analysis




Image Inpainting



Object Removal by Exemplar-Based Inpainting





Image Completion with Structure Propagation





Lazy snapping



Lazy snapping

- Pre-segmentation
- Boundary Editing



Grab Cut - Interactive Foreground Extraction using Iterated Graph Cuts






Image Tools

- Gradient domain operations,
 - Tone mapping, fusion and matting
- Graph cuts,
 - Segmentation and mosaicing
- Bilateral and Trilateral filters,
 - Denoising, image enhancement

Gradient domain operators



sources/destinations





cloning



seamless cloning

Intensity Gradient in 1D




Gradient at x ,

$$G(x) = I(x+1) - I(x)$$


Forward Difference

Reconstruction from Gradients



For n intensity values, about n gradients

Reconstruction from Gradients



1D Integration

$$I(x) = I(x-1) + G(x)$$


Cumulative sum

1D case with constraints



Seamlessly paste



onto




Just add a linear function so that the boundary condition is respected




Discrete 1D example: minimization

- Copy



to



- $\text{Min } ((f_2 - f_1) - 1)^2$
- $\text{Min } ((f_3 - f_2) - (-1))^2$
- $\text{Min } ((f_4 - f_3) - 2)^2$
- $\text{Min } ((f_5 - f_4) - (-1))^2$
- $\text{Min } ((f_6 - f_5) - (-1))^2$


With

$$f_1 = 6$$


$$f_6 = 1$$

1D example: minimization

- Copy




to




- $\text{Min } ((f_2-6)-1)^2 \implies f_2^2+49-14f_2$
- $\text{Min } ((f_3-f_2)-(-1))^2 \implies f_3^2+f_2^2+1-2f_3f_2 +2f_3-2f_2$
- $\text{Min } ((f_4-f_3)-2)^2 \implies f_4^2+f_3^2+4-2f_3f_4 -4f_4+4f_3$
- $\text{Min } ((f_5-f_4)-(-1))^2 \implies f_5^2+f_4^2+1-2f_5f_4 +2f_5-2f_4$
- $\text{Min } ((1-f_5)-(-1))^2 \implies f_5^2+4-4f_5$

1D example: big quadratic

- Copy




to




- Min $(f_2^2 + 49 - 14f_2$
 $+ f_3^2 + f_2^2 + 1 - 2f_3f_2 + 2f_3 - 2f_2$
 $+ f_4^2 + f_3^2 + 4 - 2f_3f_4 - 4f_4 + 4f_3$
 $+ f_5^2 + f_4^2 + 1 - 2f_5f_4 + 2f_5 - 2f_4$
 $+ f_5^2 + 4 - 4f_5)$
 Denote it Q

1D example: derivatives

- Copy



to



Min ($f_2^2 + 49 - 14f_2$

+ $f_3^2 + f_2^2 + 1 - 2f_3f_2 + 2f_3 - 2f_2$

+ $f_4^2 + f_3^2 + 4 - 2f_3f_4 - 4f_4 + 4f_3$

+ $f_5^2 + f_4^2 + 1 - 2f_5f_4 + 2f_5 - 2f_4$

+ $f_5^2 + 4 - 4f_5$)

Denote it Q

$$\frac{dQ}{df_2} = 2f_2 + 2f_2 - 2f_3 - 16$$


$$\frac{dQ}{df_3} = 2f_3 - 2f_2 + 2 + 2f_3 - 2f_4 + 4$$

$$\frac{dQ}{df_4} = 2f_4 - 2f_3 - 4 + 2f_4 - 2f_5 - 2$$


$$\frac{dQ}{df_5} = 2f_5 - 2f_4 + 2 + 2f_5 - 4$$

1D example: set derivatives to zero

- Copy



to



$$\frac{dQ}{df_2} = 2f_2 + 2f_2 - 2f_3 - 16$$

$$\frac{dQ}{df_3} = 2f_3 - 2f_2 + 2 + 2f_3 - 2f_4 + 4$$


$$\frac{dQ}{df_4} = 2f_4 - 2f_3 - 4 + 2f_4 - 2f_5 - 2$$

$$\frac{dQ}{df_5} = 2f_5 - 2f_4 + 2 + 2f_5 - 4$$


$$\Rightarrow \begin{pmatrix} 4 & -2 & 0 & 0 \\ -2 & 4 & -2 & 0 \\ 0 & -2 & 4 & -2 \\ 0 & 0 & -2 & 4 \end{pmatrix} \begin{pmatrix} f_2 \\ f_3 \\ f_4 \\ f_5 \end{pmatrix} = \begin{pmatrix} 16 \\ -6 \\ 6 \\ 2 \end{pmatrix}$$

1D example

- Copy




to



$$\begin{pmatrix} 4 & -2 & 0 & 0 \\ -2 & 4 & -2 & 0 \\ 0 & -2 & 4 & -2 \\ 0 & 0 & -2 & 4 \end{pmatrix} \begin{pmatrix} f_2 \\ f_3 \\ f_4 \\ f_5 \end{pmatrix} = \begin{pmatrix} 16 \\ -6 \\ 6 \\ 2 \end{pmatrix}$$

$$\begin{pmatrix} f_2 \\ f_3 \\ f_4 \\ f_5 \end{pmatrix} = \begin{pmatrix} 6 \\ 4 \\ 5 \\ 3 \end{pmatrix}$$

1D example: remarks



- Matrix is sparse
- Matrix is symmetric
- Everything is a multiple of 2
 - because square and derivative of square
- Matrix is a convolution (kernel -2 4 -2)
- Matrix is independent of gradient field. Only RHS is
- Matrix is a second derivative

Intensity Gradient in 2D

Gradient at x,y as Forward Differences

$$G_x(x,y) = I(x+1, y) - I(x,y)$$

$$G_y(x,y) = I(x, y+1) - I(x,y)$$

$$G(x,y) = (G_x, G_y)$$






Image Intensity Gradients in 2D

Sanity Check: Recovering Original Image



Intensity Gradient Manipulation

A Common Pipeline



2D case with constraints

- Given vector field \mathbf{v} (pasted gradient), find the value of f in unknown region that optimize:

$$\min_f \iint_{\Omega} |\nabla f - \mathbf{v}|^2 \text{ with } f|_{\partial\Omega} = f^*|_{\partial\Omega}$$




Figure 1: **Guided interpolation notations.** Unknown function f interpolates in domain Ω the destination function f^* , under guidance of vector field \mathbf{v} , which might be or not the gradient field of a source function g .

Poisson image editing

Problems with direct cloning



sources/destinations



cloning

From Perez et al. 2003

Solution: clone gradient





sources/destinations



seamless cloning


Result



source/destination



cloning




seamless cloning



Figure 2: **Concealment.** By importing seamlessly a piece of the background, complete objects, parts of objects, and undesirable artifacts can easily be hidden. In both examples, multiple strokes (not shown) were used.



sources



destinations



cloning



seamless cloning



swapped textures



source



destination



Figure 7: **Inserting transparent objects.** Mixed seamless cloning facilitates the transfer of partly transparent objects, such as the rainbow in this example. The non-linear mixing of gradient fields picks out whichever of source or destination structure is the more salient at each location.

Reduce big gradients

- Dynamic range compression
- Fattal et al. 2002





Figure 10: **Local illumination changes.** Applying an appropriate non-linear transformation to the gradient field inside the selection and then integrating back with a Poisson solver, modifies locally the apparent illumination of an image. This is useful to highlight under-exposed foreground objects or to reduce specular reflections.

Seamless Image Stitching in the Gradient Domain

- Anat Levin, Assaf Zomet, Shmuel Peleg, and Yair Weiss

<http://www.cs.huji.ac.il/~alevin/papers/eccv04-blending.pdf>

<http://eprints.pascal-network.org/archive/00001062/01/tips05->




ing)

Fig. 1. Image stitching. On the left are the input images. ω is the overlap region. On top right is a simple pasting of the input images. On the bottom right is the result of the GIST1 algorithm.


Gradient tone mapping

- Fattal et al. Siggraph 2002



Slide from Siggraph 2005 by Raskar (Graphs by Fattal et al.)

Gradient attenuation



$\log(\text{Luminance})$

Gradient magnitude

Attenuation map

From Fattal et al.

Fattal et al. Gradient tone mapping



Poisson Matting

- Sun et al. Siggraph 2004
- Assume gradient of F & B is negligible
- Plus various image-editing tools to refine matte

$$I = \alpha F + (1 - \alpha)B$$

$$\nabla I = (F - B)\nabla \alpha + \alpha \nabla F + (1 - \alpha)\nabla B$$

$$\nabla \alpha \approx \frac{1}{F - B} \nabla I$$



Figure 1: Pulling of matte from a complex scene. From left to right: a complex natural image for existing matting techniques where the color background is complex, a high quality matte generated by Poisson matting, a composite image with the extracted koala and a constant-color background, and a composite image with the extracted koala and a different background.

Interactive Local Adjustment of Tonal Values

Dani Lischinski, Zeev Farbman
The Hebrew University

Matt Uyttendaele, Richard Szeliski
Microsoft Research

Background (1)

Darkroom

Camera shutter ---→ Photograph

Tool {
Dodging
Burning brushes

Only!

But, ...

It is tedious, time-consuming and painstaking!

Background (2)

[Adobe Photoshop CS2, 2005]

- A large arsenal of adjustment tools
- Hard to master these tools
 - To learn, use
- Tedious and time-consuming
 - Professional ability, experienced skill
 - Too many layer masks
- Incapable in some requirements

Background (2)

[Adobe Photoshop CS2, 2005]



Original image

Layer mask

Result

Related Work: Tone Mapping Operators

- Global operators

[Ward Larson et al. 1997; Reinhard et al. 2002; Drago et al. 2003]

- Usually fast

- Local operators

[Fattal et al. 2002; Reinhard et al. 2002; Li et al. 2005] ...

- Better at preserving local contrasts
- Introduce visual artifacts sometimes

Limitations of Tone Mapping Operators

- Lack of direct local control
 - Can't directly manipulate a particular region
- Not guaranteed to converge to a subjectively satisfactory result
 - Involves several trial-and-error iterations
 - Change the entire image each iteration







Algorithm Overview

1. **Load** a digital negative, a camera RAW file, an HDR radiance map, or an ordinary image
2. **Indicate** regions in the image that require adjusting
3. **Experiment** with the available adjustment parameters until a satisfactory result is obtained in the desired regions
4. **Iterate** 2 and 3 until a satisfactory image




















An Example



Region Selection: Strokes and Brushes

- Basic brush
- Luminance brush



$\text{weight}=1$, for the selected pixels
in the brush;
 $\text{weight}=0$, else

Region Selection: Luminance Brush

μ be the mean lightness (CIE L^*)

A pixel with a lightness value of ℓ is selected

only if $|\mu - \ell| < \sigma$

the weight

$$w(\ell) = \exp(-|\ell - \mu|^2 / \sigma^2)$$



Region Selection: Strokes and Brushes

- Basic brush
- Luminance brush
- Lumachrome brush (chromaticity)
 - the CIE $L^*a^*b^*$ color space
- Over-exposure brush
- Under-exposure brush

Constraint Propagation



User strokes

Adjusted exposure

Image-guided Energy Minimization

$$f = \arg \min_f \left\{ \sum_{\mathbf{x}} w(\mathbf{x}) (f(\mathbf{x}) - g(\mathbf{x}))^2 + \lambda \sum_{\mathbf{x}} h(\nabla f, \nabla L) \right\}$$

Data term + smoothing term

Image-guided Energy Minimization

$$f = \arg \min_f \left\{ \sum_{\mathbf{x}} w(\mathbf{x}) (f(\mathbf{x}) - g(\mathbf{x}))^2 + \lambda \sum_{\mathbf{x}} h(\nabla f, \nabla L) \right\}$$

data term + smoothing term

$$h(\nabla f, \nabla L) = \frac{|f_x|^2}{|L_x|^\alpha + \varepsilon} + \frac{|f_y|^2}{|L_y|^\alpha + \varepsilon}$$

L : log-luminance channel

α : sensitivity factor

ε : a small zero-division constant

λ : a balance factor

Default:

$\alpha = 1$

$\varepsilon = 0.0001$

$\lambda = 0.2$

Standard Finite Differences

$$f = \arg \min_f \left\{ \sum_{\mathbf{x}} w(\mathbf{x}) (f(\mathbf{x}) - g(\mathbf{x}))^2 + \lambda \sum_{\mathbf{x}} h(\nabla f, \nabla L) \right\}$$
$$\mathbf{A}f = b,$$

where

$$\mathbf{A}_{ij} = \begin{cases} -\lambda \left(|L_i - L_j|^\alpha + \varepsilon \right)^{-1} & j \in N_4(i) \\ w_i - \sum_{k \in N_4(i)} \mathbf{A}_{ik} & i = j \\ 0 & \text{otherwise} \end{cases}$$

and

$$b_i = w_i g_i.$$

$N_4(i)$ are the 4-neighbors of pixel i




Fast Approximate Solution

$$\mathbf{A}f = b$$

Solved iteratively by [\[Saad 2003\]](#)
preconditioned conjugate gradients (PCG)

Interactive Local Adjustment of Tonal Value

$$f = \arg \min_f \left\{ \sum_{\mathbf{x}} w(\mathbf{x}) (f(\mathbf{x}) - g(\mathbf{x}))^2 + \lambda \sum_{\mathbf{x}} h(\nabla f, \nabla L) \right\}$$



SIGGRAPH 2006

**Interactive Local Adjustment
of Tonal Values**


Dani Lischinski
Zeev Farbman
Matt Uyttendaele
Richard Szeliski

Graph cut



Graph cut


- Interactive image segmentation using graph cut
- Binary label: foreground vs. background
- User labels some pixels
 - similar to trimap, usually sparser
- Exploit
 - Statistics of known Fg & Bg
 - Smoothness of label
- Turn into discrete graph optimization
 - Graph cut (min cut / max flow)



F F B


F F B

F B B



Energy function

- Labeling: one value per pixel, F or B
- $\text{Energy}(\text{labeling}) = \text{data} + \text{smoothness}$
 - Very general situation
 - Will be minimized
- Data: for each pixel
 - Probability that this color belongs to F (resp. B)
 - Similar in spirit to Bayesian matting
- Smoothness (aka regularization): per neighboring pixel pair
 - Penalty for having different label
 - Penalty is downweighted if the two pixel colors are very different
 - Similar in spirit to bilateral filter




**One labeling
(ok, not best)**

F	B	B
F	B	B
F	B	B

Data


F		B
F	B	B
F	B	B

Smoothness




Data term

- A.k.a regional term
(because integrated over full region)
- $D(L) = \sum_i -\log h[L_i](C_i)$
- Where i is a pixel
 L_i is the label at i (F or B),
 C_i is the pixel value
 $h[L_i]$ is the histogram of the observed Fg
(resp Bg)
- Note the minus sign




F	B	B
F	B	B
F	B	B

F		B
F	B	B
F	B	B



Hard constraints


- The user has provided some labels
- The quick and dirty way to include constraints into optimization is to replace the data term by a huge penalty if not respected.
- $D(L_i)=0$ if respected
- $D(L_i) = K$ if not respected
 - e.g. $K=- \text{\#pixels}$



Smoothness term





- a.k.a boundary term, a.k.a. regularization
- $S(L) = \sum_{\{j, i\} \in N} B(C_i, C_j) \delta(L_i - L_j)$
- Where i, j are neighbors
 - e.g. 8-neighborhood
(but I show 4 for simplicity)
- $\delta(L_i - L_j)$ is 0 if $L_i = L_j$, 1 otherwise
- $B(C_i, C_j)$ is high when C_i and C_j are similar, low if there is a discontinuity between those two pixels
 - e.g. $\exp(-||C_i - C_j||^2 / 2\sigma^2)$
 - where σ can be a constant or the local variance
- Note positive sign

F	B	B
F	B	B
F	B	B




Optimization

- $E(L) = D(L) + \lambda S(L)$
- λ is a black-magic constant
- Find the labeling that minimizes E
- In this case, how many possibilities?
 - 2^9 (512)
 - We can try them all!
 - What about megapixel images?




Labeling as a graph problem

- Each pixel = node
- Add two nodes F & B
- Labeling: link each pixel to either F or B




F	F	B
F	F	B
F	B	B




Data term

- Put one edge between each pixel and F & G
- Weight of edge = minus data term
 - Don't forget huge weight for hard constraints
 - Careful with sign




Smoothness term

- Add an edge between each neighbor pair
- Weight = smoothness term




Min cut

- Energy optimization equivalent to min cut
- Cut: remove edges to disconnect F from B
- Minimum: minimize sum of cut edge weight



Min cut \Leftrightarrow labeling

- In order to be a cut:
 - For each pixel, either the F or G edge has to be cut
- In order to be minimal
 - Only one edge label per pixel can be cut (otherwise could be added)




Computing a multiway cut


- With 2 labels: classical min-cut problem
 - Solvable by standard flow algorithms
 - polynomial time in theory, nearly linear in practice
 - More than 2 terminals: NP-hard
 - [Dahlhaus *et al.*, STOC '92]
- Efficient approximation algorithms exist
 - Within a factor of 2 of optimal
 - Computes local minimum in a strong sense
 - even very large moves will not improve the energy
 - Yuri Boykov, Olga Veksler and Ramin Zabih, [Fast Approximate Energy Minimization via Graph Cuts](#), International Conference on Computer Vision, September 1999.

Move examples


Starting point



Red-blue swap move



Green expansion move



GrabCut

Interactive Foreground Extraction using Iterated Graph Cuts



Carsten Rother
Vladimir Kolmogorov
Andrew Blake



Microsoft Research Cambridge-UK




Agrawala et al, Digital Photomontage, Siggraph 2004



Source images



Brush strokes



Computed labeling




Composite



Graph Cuts for Segmentation and Mosaicing

Brush strokes




Computed labeling




Interactive Digital Photomontage

- Extended depth of field



Interactive Digital Photomontage

- Relighting



Interactive Digital Photomontage

DigiVFX



Bilateral filtering



[Ben Weiss, Siggraph 2006]

Image Denoising



noisy image



naïve denoising
Gaussian blur



better denoising
edge-preserving filter

Smoothing an image without blurring its edges.


A Wide Range of Options

- Diffusion, Bayesian, Wavelets...
 - All have their pros and cons.
- Bilateral filter
 - not always the best result [Buades 05] but often good
 - easy to understand, adapt and set up

Start with Gaussian filtering

- Here, input is a step function + noise


$$J = f \otimes I$$





Start with Gaussian filtering

- Spatial Gaussian f

$$J = f \otimes I$$



output




input





Start with Gaussian filtering

- Output is blurred

$$J = f \otimes I$$



output



input






Gaussian filter as weighted average

$J(x)$

\sum_{ξ}

$f(x, \xi)$

$I(\xi)$




output



input

The problem of edges


- Here, $I(\xi)$ “pollutes” our estimate $J(x)$
- It is too different




Principle of Bilateral filtering

- [Tomasi and Manduchi 1998]
- Penalty g on the intensity difference

$$J(x) = \frac{1}{k(x)} \sum_{\xi} f(x, \xi) \quad g(I(\xi) - I(x)) \quad I(\xi)$$



output




input



Bilateral filtering

- [Tomasi and Manduchi 1998]
- Spatial Gaussian f


$$J(x) = \frac{1}{k(x)} \int f(x, \xi) g(I(\xi) - I(x)) I(\xi) d\xi$$



Bilateral filtering

- [Tomasi and Manduchi 1998]
- Spatial Gaussian f
- Gaussian g on the intensity difference

$$J(x) = \frac{1}{k(x)} f(x, \xi) g(I(\xi) - I(x)) I(\xi)$$




Normalization factor

- [Tomasi and Manduchi 1998]

- $k(x) = \sum_{\xi} f(x, \xi) g(I(\xi) - I(x))$


$$J(x) = \frac{1}{k(x)} \left[f(x, \xi) g(I(\xi) - I(x)) \right] I(\xi)$$



Bilateral filtering is non-linear

- [Tomasi and Manduchi 1998]
- The weights are different for each output pixel

$$J(x) = \frac{1}{k(x)} \sum_{\xi} f(x, \xi) \quad g(I(\xi) - I(x)) \quad I(\xi)$$



Many Applications based on Bilateral Filter



Tone Mapping [Durand 02]



Flash / No-Flash [Eisemann 04, Petschnigg 04]



Virtual Video Exposure [Bennett 05]



Tone Management [Bae 06]

And many others...

Advantages of Bilateral Filter

- Easy to understand
 - Weighted mean of nearby pixels
- Easy to adapt
 - Distance between pixel values
- Easy to set up
 - Non-iterative

But Bilateral Filter is Nonlinear

- Slow but some accelerations exist:
 - [Elad 02]: Gauss-Seidel iterations
 - Only for many iterations
 - [Durand 02, Weiss 06]: fast approximation
 - No formal understanding of accuracy versus speed
 - [Weiss 06]: Only box function as spatial kernel

A Fast Approximation of the Bilateral Filter using a Signal Processing Approach

Sylvain Paris and Frédo Durand

Computer Science and Artificial Intelligence Laboratory
Massachusetts Institute of Technology



Definition of Bilateral Filter

- [Smith 97, Tomasi 98]
- Smooths an image and preserves edges
- Weighted average of neighbors
- Weights
 - Gaussian on *space* distance
 - Gaussian on *range* distance
 - sum to 1




$$I_{\mathbf{p}}^{\text{bf}} = \frac{1}{W_{\mathbf{p}}^{\text{bf}}} \sum_{\mathbf{q} \in \mathcal{S}} \underbrace{G_{\sigma_s}(\|\mathbf{p} - \mathbf{q}\|)}_{\text{space}} \underbrace{G_{\sigma_r}(\|I_{\mathbf{p}} - I_{\mathbf{q}}\|)}_{\text{range}} I_{\mathbf{q}}$$


Contributions

- Link with **linear filtering**
- **Fast** and **accurate** approximation

Intuition on 1D Signal




BF



Intuition on 1D Signal


Weighted Average of Neighbors



- Near and similar pixels have influence.
- Far pixels have no influence.
- Pixels with different value have no influence.

Link with Linear Filtering

1. Handling the Division



$$I_{\mathbf{p}}^{\text{bf}} = \frac{1}{W_{\mathbf{p}}^{\text{bf}}} \sum_{\mathbf{q} \in \mathcal{S}} G_{\sigma_s}(\|\mathbf{p} - \mathbf{q}\|) G_{\sigma_r}(|I_{\mathbf{p}} - I_{\mathbf{q}}|) I_{\mathbf{q}}$$

Handling the division with a **projective space**.

Formalization: Handling the Division

$$\begin{aligned} I_{\mathbf{p}}^{\text{bf}} &= \frac{1}{W_{\mathbf{p}}^{\text{bf}}} \sum_{\mathbf{q} \in \mathcal{S}} G_{\sigma_s}(\|\mathbf{p} - \mathbf{q}\|) G_{\sigma_r}(|I_{\mathbf{p}} - I_{\mathbf{q}}|) I_{\mathbf{q}} \\ W_{\mathbf{p}}^{\text{bf}} &= \sum_{\mathbf{q} \in \mathcal{S}} G_{\sigma_s}(\|\mathbf{p} - \mathbf{q}\|) G_{\sigma_r}(|I_{\mathbf{p}} - I_{\mathbf{q}}|) \end{aligned}$$

- Normalizing factor as homogeneous coordinate
 - Multiply both sides by $W_{\mathbf{p}}^{\text{bf}}$

$$\begin{pmatrix} W_{\mathbf{p}}^{\text{bf}} & I_{\mathbf{p}}^{\text{bf}} \\ & W_{\mathbf{p}}^{\text{bf}} \end{pmatrix} = \sum_{\mathbf{q} \in \mathcal{S}} G_{\sigma_s}(\|\mathbf{p} - \mathbf{q}\|) G_{\sigma_r}(|I_{\mathbf{p}} - I_{\mathbf{q}}|) \begin{pmatrix} I_{\mathbf{q}} \\ 1 \end{pmatrix}$$

Formalization: Handling the Division

$$\begin{pmatrix} W_{\mathbf{p}}^{\text{bf}} & I_{\mathbf{p}}^{\text{bf}} \\ W_{\mathbf{p}}^{\text{bf}} & \end{pmatrix} = \sum_{\mathbf{q} \in \mathcal{S}} G_{\sigma_s}(\|\mathbf{p} - \mathbf{q}\|) G_{\sigma_r}(|I_{\mathbf{p}} - I_{\mathbf{q}}|) \begin{pmatrix} W_{\mathbf{q}} & I_{\mathbf{q}} \\ W_{\mathbf{q}} & \end{pmatrix} \text{ with } W_{\mathbf{q}}=1$$


- Similar to homogeneous coordinates in projective space
- Division delayed until the end
- Next step: Adding a dimension to make a convolution appear

Link with Linear Filtering

2. Introducing a Convolution

space: 1D Gaussian
 × range: 1D Gaussian

combination: 2D Gaussian




$$\begin{pmatrix} W_{\mathbf{p}}^{\text{bf}} & I_{\mathbf{p}}^{\text{bf}} \\ W_{\mathbf{p}}^{\text{bf}} & \end{pmatrix} = \sum_{\mathbf{q} \in \mathcal{S}} \underbrace{G_{\sigma_{\text{s}}}(\|\mathbf{p} - \mathbf{q}\|)}_{\text{space}} \underbrace{G_{\sigma_{\text{r}}}(|I_{\mathbf{p}} - I_{\mathbf{q}}|)}_{\text{range}} \begin{pmatrix} W_{\mathbf{q}} & I_{\mathbf{q}} \\ W_{\mathbf{q}} & \end{pmatrix}$$

Link with Linear Filtering

2. Introducing a Convolution

space: 1D Gaussian
 × range: 1D Gaussian

combination: 2D Gaussian




$$\begin{pmatrix} W_{\mathbf{p}}^{\text{bf}} & I_{\mathbf{p}}^{\text{bf}} \\ W_{\mathbf{p}}^{\text{bf}} \end{pmatrix} = \sum_{\mathbf{q} \in \mathcal{S}} \underbrace{G_{\sigma_{\text{s}}}(\|\mathbf{p} - \mathbf{q}\|) G_{\sigma_{\text{r}}}(|I_{\mathbf{p}} - I_{\mathbf{q}}|)}_{\text{space x range}} \begin{pmatrix} W_{\mathbf{q}} & I_{\mathbf{q}} \\ W_{\mathbf{q}} \end{pmatrix}$$

Corresponds to a 3D Gaussian on a 2D image.

Link with Linear Filtering

2. Introducing a Convolution




$$\begin{pmatrix} W_{\mathbf{p}}^{\text{bf}} & I_{\mathbf{p}}^{\text{bf}} \\ W_{\mathbf{p}}^{\text{bf}} \end{pmatrix} = \sum_{(\mathbf{q}, \zeta) \in \mathcal{S} \times \mathcal{R}} \begin{pmatrix} W_{\mathbf{q}} & I_{\mathbf{q}} \\ W_{\mathbf{q}} \end{pmatrix}$$

space-range Gaussian

sum all values multiplied by kernel \Rightarrow convolution

Link with Linear Filtering

2. Introducing a Convolution




result of the convolution

$$\begin{pmatrix} W_{\mathbf{p}}^{\text{bf}} & I_{\mathbf{p}}^{\text{bf}} \\ W_{\mathbf{p}}^{\text{bf}} \end{pmatrix} = \sum_{(\mathbf{q}, \zeta) \in \mathcal{S} \times \mathcal{R}} \text{space-range Gaussian} \begin{pmatrix} W_{\mathbf{q}} & I_{\mathbf{q}} \\ W_{\mathbf{q}} \end{pmatrix}$$


Link with Linear Filtering

2. Introducing a Convolution




result of the convolution


$$\begin{pmatrix} W_{\mathbf{p}}^{\text{bf}} & I_{\mathbf{p}}^{\text{bf}} \\ W_{\mathbf{p}}^{\text{bf}} \end{pmatrix} = \sum_{(\mathbf{q}, \zeta) \in \mathcal{S} \times \mathcal{R}} \text{space-range Gaussian} \begin{pmatrix} W_{\mathbf{q}} & I_{\mathbf{q}} \\ W_{\mathbf{q}} \end{pmatrix}$$




higher dimensional functions




Gaussian convolution



division



slicing



Reformulation: Summary

linear: $(w^{\text{bf}} i^{\text{bf}}, w^{\text{bf}}) = g_{\sigma_s, \sigma_r} \otimes (wi, w)$

nonlinear: $I_{\mathbf{p}}^{\text{bf}} = \frac{w^{\text{bf}}(\mathbf{p}, I_{\mathbf{p}}) i^{\text{bf}}(\mathbf{p}, I_{\mathbf{p}})}{w^{\text{bf}}(\mathbf{p}, I_{\mathbf{p}})}$


1. Convolution in higher dimension

- expensive but well understood (linear, FFT, etc)

2. Division and slicing

- nonlinear but simple and pixel-wise

Exact reformulation





higher dimensional functions




Low-pass filter

Gaussian convolution





Almost only
low freq.
High freq.
negligible

division



slicing





higher dimensional functions




DOWNSAMPLE

Gaussian convolution




UPSAMPLE

division



slicing




Almost no
information
loss

Fast Convolution by Downsampling

- Downsampling cuts frequencies above Nyquist limit
 - Less data to process
 - But induces error
- Evaluation of the approximation
 - Precision versus running time
 - Visual accuracy

Accuracy versus Running Time

- Finer sampling increases accuracy.
- More precise than previous work.



Digital
photograph
1200 × 1600

Straightforward
implementation is
over 10 minutes.

Visual Results



1200 × 1600

- Comparison with previous work [Durand 02]
 - running time = 1s for both techniques

input



exact BF



our result



prev. work



difference
with exact
computation
(intensities in [0:1])



Visual Results




1200 × 1600

- Comparison with previous work [Durand 02]
 - running time = 1s for both techniques


input



exact BF




our result




prev. work



difference
with exact
computation
(intensities in [0:1])



Visual Results



1200 × 1600

- Comparison with previous work [Durand 02]
 - running time = 1s for both techniques


input




our result




exact BF



prev. work



difference
with exact
computation
(intensities in [0:1])



Visual Results




1200 × 1600

- Comparison with previous work [Durand 02]
 - running time = 1s for both techniques

input



exact BF



our result




prev. work



difference
with exact
computation
(intensities in [0:1])



Visual Results



1200 × 1600

- Comparison with previous work [Durand 02]
 - running time = 1s for both techniques

input



prev. work



our result



exact BF



difference
with exact
computation
(intensities in [0:1])



Discussion

- Higher dimension \Rightarrow advantageous formulation
 - akin to Level Sets with topology
 - our approach: isolate nonlinearities
 - dimension increase largely offset by downsampling
- Space-range domain already appeared
 - [Sochen 98, Barash 02]: image as an embedded manifold
 - new in our approach: image as a dense function

Conclusions

higher dimension \Rightarrow “better” computation

Practical gain

- Interactive running time
- Visually similar results
- Simple to code (100 lines)

Theoretical gain

- Link with linear filters
- Separation linear/nonlinear
- Signal processing framework

Two-scale Tone Management for Photographic Look

Soonmin Bae, Sylvain Paris, and Frédo Durand

MIT CSAIL

SIGGRAPH2006

Ansel Adams




Ansel Adams, *Clearing Winter Storm*

An Amateur Photographer



A Variety of Looks



Goals

- Control over photographic look
- Transfer “look” from a model photo

For example,

we want



with the look of



Aspects of Photographic Look

- Subject choice
 - Framing and composition
 - ➔ Specified by input photos
-
- Tone distribution and contrast
 - ➔ Modified based on model photos



Input



Model

Tonal Aspects of Look




Ansel Adams



Kenro Izu

Tonal aspects of Look - Global Contrast



Ansel Adams




Kenro Izu

High Global Contrast

Low Global Contrast

Tonal aspects of Look - Local Contrast

DigiVFX



Ansel Adams




Kenro Izu

Variable amount of texture


Texture everywhere

Overview




- Transfer look between photographs
 - Tonal aspects

Overview




- Separate global and local contrast

Overview



Overview




Split Global vs. Local Contrast

- Naïve decomposition: low vs. high frequency
 - Problem: introduce blur & halos



Low frequency
Global contrast



High frequency
Local contrast

Bilateral Filter

- Edge-preserving smoothing [Tomasi 98]
- We build upon tone mapping [Durand 02]



After bilateral filtering
Global contrast



Residual after filtering
Local contrast

Bilateral Filter

- Edge-preserving smoothing [Tomasi 98]
- We build upon tone mapping [Durand 02]



After bilateral filtering
Global contrast




Residual after filtering
Local contrast

Global contrast




***Input
Image***



**Bilateral
Filter**




**Careful
combination**



**Post-
process**




Local contrast



Result

Global contrast

DigiVFX





Global Contrast

- Intensity remapping of base layer



Input base




After remapping


Global Contrast (Model Transfer)






Model
base



Input
base




Output
base




- Histogram matching
 - Remapping function given input and model histogram

Global contrast



Global contrast

DigiVFX



Local contrast

Local Contrast: Detail Layer

- Uniform control:
 - Multiply all values in the detail layer




Input



Base + 3 × Detail

The amount of local contrast is not uniform




Smooth region

Textured region

Local Contrast Variation


- We define “textureness”: amount of local contrast
 - at each pixel based on surrounding region



Smooth region
⇒ Low textureness

Textured region
⇒ High textureness


"Textureiness": 1D Example



Textureness




Input




Textureness


Textureness Transfer

Step 1:
Histogram transfer




Step 2:
Scaling detail layer
(per pixel) to match
desired textureness






Global contrast



A Non Perfect Result

- Decoupled and large modifications (up to 6x)
→ Limited defects may appear

input (HDR)




result after
global and local adjustments




Intensity Remapping

- Some intensities may be outside displayable range.
- ➔ Compress histogram to fit visible range.



Preserving Details

1. In the gradient domain:
 - Compare gradient amplitudes of input and current
 - Prevent extreme reduction & extreme increase
2. Solve the Poisson equation.



Effect of Detail Preservation


uncorrected result



corrected result




Global contrast



Local contrast

Global contrast

DigiVFX



Additional Effects

model




- Soft focus (high frequency manipulation)
- Film grain (texture synthesis [Heeger 95])
- Color toning (chrominance = f (luminance))

before
effects




after
effects





Recap



Results

User provides input and model photographs.

➔ Our system **automatically** produces the result.

Running times:


- 6 seconds for 1 MPixel or less
- 23 seconds for 4 MPixels
- multi-grid Poisson solver and fast bilateral filter [Paris 06]

Result

Model




Result






Result

Model



Comparison with Naïve Histogram Matching



Digital FX



Local contrast, sharpness unfaithful

Comparison with Naïve Histogram Matching

Digital FX




Local contrast too low




Color Images

- Lab color space: modify only luminance



Limitations

- Noise and JPEG artifacts
 - amplified defects
- Can lead to unexpected results if the image content is too different from the model
 - Portraits, in particular, can suffer



Conclusions

- Transfer “look” from a model photo
- Two-scale tone management
 - Global and local contrast
 - New edge-preserving textureiness
 - Constrained Poisson reconstruction
 - Additional effects

References

- Patrick Perez, Michel Gangnet, Andrew Blake, [Poisson Image Editing](#), SIGGRAPH 2003.
- Dani Lischinski, Zeev Farbman, Matt Uytendaele and Richard Szeliski. [Interactive Local Adjustment of Tonal Values](#). SIGGRAPH 2006.
- Carsten Rother, Andrew Blake, Vladimir Kolmogorov, [GrabCut - Interactive Foreground Extraction Using Iterated Graph Cuts](#), SIGGRAPH 2004.
- Aseem Agarwala, Mira Dontcheva, Maneesh Agrawala, Steven Drucker, Alex Colburn, Brian Curless, David H. Salesin, Michael F. Cohen, [Interactive Digital Photomontage](#), SIGGRAPH 2004.
- Sylvain Paris and Fredo Durand. [A Fast Approximation of the Bilateral Filter using a Signal Processing Approach](#). ECCV 2006.
- Soonmin Bae, Sylvain Paris and Fredo Durand. [Two-scale Tone Management for Photographic Look](#). SIGGRAPH 2006.