

# Structure from motion

Digital Visual Effects, Spring 2008

*Yung-Yu Chuang*

2008/4/22

*with slides by Richard Szeliski, Steve Seitz, Zhengyou Zhang and Marc Pollefeys*

# Announcements

---

- Project #2 was due yesterday. Send it directly to me. Please hand it in before Sunday if possible.

# Outline


---

- Epipolar geometry and fundamental matrix
- Structure from motion
- Factorization method
- Bundle adjustment
- Applications

# Epipolar geometry & fundamental matrix


# The epipolar geometry

[epipolar geometry demo](#)



$C, C', x, x'$  and  $X$  are coplanar


# The epipolar geometry



What if only  $C, C', x$  are known?

# The epipolar geometry


---



All points on  $\pi$  project on  $l$  and  $l'$

# The epipolar geometry

---



Family of planes  $\pi$  and lines  $l$  and  $l'$  intersect at  $e$  and  $e'$



# The epipolar geometry


---

epipolar pole

[epipolar geometry demo](#)

= intersection of baseline with image plane


= projection of projection center in other image



epipolar plane = plane containing baseline

epipolar line = intersection of epipolar plane with image

# The fundamental matrix F



Two reference frames are related via the extrinsic parameters

$$\mathbf{p}' = \mathbf{R}(\mathbf{p} - \mathbf{T})$$

The equation of the epipolar plane through  $X$  is

$$(\mathbf{p} - \mathbf{T})^T (\mathbf{T} \times \mathbf{p}) = 0 \quad \rightarrow \quad (\mathbf{R}^T \mathbf{p}')^T (\mathbf{T} \times \mathbf{p}) = 0$$

# The fundamental matrix F

---

$$(\mathbf{R}^T \mathbf{p}')^T (\mathbf{T} \times \mathbf{p}) = 0$$

$$\mathbf{T} \times \mathbf{p} = \mathbf{S} \mathbf{p}$$

$$\mathbf{S} = \begin{bmatrix} 0 & -T_z & T_y \\ T_z & 0 & -T_x \\ -T_y & T_x & 0 \end{bmatrix}$$

$$\rightarrow (\mathbf{R}^T \mathbf{p}')^T (\mathbf{S} \mathbf{p}) = 0$$

$$\rightarrow (\mathbf{p}'^T \mathbf{R}) (\mathbf{S} \mathbf{p}) = 0$$

$$\rightarrow \mathbf{p}'^T \mathbf{E} \mathbf{p} = 0 \quad \text{essential matrix}$$

# The fundamental matrix F

---

$$\mathbf{p}'^T \mathbf{E} \mathbf{p} = 0$$

Let  $M$  and  $M'$  be the intrinsic matrices, then

$$\mathbf{p} = \mathbf{M}^{-1} \mathbf{x} \quad \mathbf{p}' = \mathbf{M}'^{-1} \mathbf{x}'$$

$$\rightarrow (\mathbf{M}'^{-1} \mathbf{x}')^T \mathbf{E} (\mathbf{M}^{-1} \mathbf{x}) = 0$$

$$\rightarrow \mathbf{x}'^T \mathbf{M}'^{-T} \mathbf{E} \mathbf{M}^{-1} \mathbf{x} = 0$$

$$\rightarrow \mathbf{x}'^T \mathbf{F} \mathbf{x} = 0 \quad \text{fundamental matrix}$$

# The fundamental matrix F

---

- The fundamental matrix is the algebraic representation of epipolar geometry
- The fundamental matrix satisfies the condition that for any pair of corresponding points  $x \leftrightarrow x'$  in the two images

$$\mathbf{x}'^T \mathbf{F} \mathbf{x} = 0 \quad \left( \mathbf{x}'^T \mathbf{1}' = 0 \right)$$

## The fundamental matrix $F$


---

$F$  is the unique  $3 \times 3$  rank 2 matrix that satisfies  $x'^T F x = 0$  for all  $x \leftrightarrow x'$

1. **Transpose:** if  $F$  is fundamental matrix for  $(P, P')$ , then  $F^T$  is fundamental matrix for  $(P', P)$
2. **Epipolar lines:**  $l' = Fx$  &  $l = F^T x'$
3. **Epipoles:** on all epipolar lines, thus  $e'^T F x = 0, \forall x \Rightarrow e'^T F = 0$ , similarly  $F e = 0$
4.  $F$  has 7 d.o.f. , i.e.  $3 \times 3 - 1$  (homogeneous) - 1 (rank 2)
5.  $F$  is a correlation, projective mapping from a point  $x$  to a line  $l' = Fx$  (not a proper correlation, i.e. not invertible)

# The fundamental matrix $F$

---



- It can be used for
  - Simplifies matching
  - Allows to detect wrong matches

# Estimation of F – 8-point algorithm

- The fundamental matrix F is defined by

$$\mathbf{x}'^T \mathbf{F} \mathbf{x} = 0$$

for any pair of matches  $\mathbf{x}$  and  $\mathbf{x}'$  in two images.

- Let  $\mathbf{x}=(u,v,1)^T$  and  $\mathbf{x}'=(u',v',1)^T$ ,  $\mathbf{F} = \begin{bmatrix} f_{11} & f_{12} & f_{13} \\ f_{21} & f_{22} & f_{23} \\ f_{31} & f_{32} & f_{33} \end{bmatrix}$   
each match gives a linear equation

$$uu' f_{11} + vu' f_{12} + u' f_{13} + uv' f_{21} + vv' f_{22} + v' f_{23} + uf_{31} + vf_{32} + f_{33} = 0$$



# 8-point algorithm

$$\begin{bmatrix}
 u_1 u_1' & v_1 u_1' & u_1' & u_1 v_1' & v_1 v_1' & v_1' & u_1 & v_1 & 1 \\
 u_2 u_2' & v_2 u_2' & u_2' & u_2 v_2' & v_2 v_2' & v_2' & u_2 & v_2 & 1 \\
 \vdots & \vdots & \vdots & \vdots & \vdots & \vdots & \vdots & \vdots & \vdots \\
 u_n u_n' & v_n u_n' & u_n' & u_n v_n' & v_n v_n' & v_n' & u_n & v_n & 1
 \end{bmatrix}
 \begin{bmatrix}
 f_{11} \\
 f_{12} \\
 f_{13} \\
 f_{21} \\
 f_{22} \\
 f_{23} \\
 f_{31} \\
 f_{32} \\
 f_{33}
 \end{bmatrix}
 = \mathbf{0}$$

- In reality, instead of solving  $\mathbf{A}\mathbf{f} = \mathbf{0}$ , we seek  $\mathbf{f}$  to minimize  $\|\mathbf{A}\mathbf{f}\|$  subj.  $\|\mathbf{f}\| = 1$ . Find the vector corresponding to the least singular value.

## 8-point algorithm

---

- To enforce that  $\mathbf{F}$  is of rank 2,  $\mathbf{F}$  is replaced by  $\mathbf{F}'$  that minimizes  $\|\mathbf{F} - \mathbf{F}'\|$  subject to  $\det \mathbf{F}' = 0$ .
- It is achieved by SVD. Let  $\mathbf{F} = \mathbf{U}\mathbf{\Sigma}\mathbf{V}^T$ , where

$$\mathbf{\Sigma} = \begin{bmatrix} \sigma_1 & 0 & 0 \\ 0 & \sigma_2 & 0 \\ 0 & 0 & \sigma_3 \end{bmatrix}, \text{ let } \mathbf{\Sigma}' = \begin{bmatrix} \sigma_1 & 0 & 0 \\ 0 & \sigma_2 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

then  $\mathbf{F}' = \mathbf{U}\mathbf{\Sigma}'\mathbf{V}^T$  is the solution.

# 8-point algorithm

---

```
% Build the constraint matrix
```

```
A = [x2(1,:)'.*x1(1,:)  x2(1,:)'.*x1(2,:)  x2(1,:)  ...  
     x2(2,:)'.*x1(1,:)  x2(2,:)'.*x1(2,:)  x2(2,:)  ...  
     x1(1,:)           x1(2,:)           ones(npts,1) ];
```

```
[U,D,V] = svd(A);
```

```
% Extract fundamental matrix from the column of V  
% corresponding to the smallest singular value.
```

```
F = reshape(V(:,9),3,3)';
```

```
% Enforce rank2 constraint
```

```
[U,D,V] = svd(F);
```

```
F = U*diag([D(1,1) D(2,2) 0])*V';
```

# 8-point algorithm

---

- Pros: it is linear, easy to implement and fast
- Cons: susceptible to noise

# Problem with 8-point algorithm

$$\begin{bmatrix}
 u_1 u_1' & v_1 u_1' & u_1' & u_1 v_1' & v_1 v_1' & v_1' & u_1 & v_1 & 1 \\
 u_2 u_2' & v_2 u_2' & u_2' & u_2 v_2' & v_2 v_2' & v_2' & u_2 & v_2 & 1 \\
 \vdots & \vdots & \vdots & \vdots & \vdots & \vdots & \vdots & \vdots & \vdots \\
 u_n u_n' & v_n u_n' & u_n' & u_n v_n' & v_n v_n' & v_n' & u_n & v_n & 1
 \end{bmatrix}
 \begin{bmatrix}
 f_{11} \\
 f_{12} \\
 f_{13} \\
 f_{21} \\
 f_{22} \\
 f_{23} \\
 f_{31} \\
 f_{32} \\
 f_{33}
 \end{bmatrix}
 = 0$$

$\sim 10000 \quad \sim 10000 \quad \sim 100 \quad \sim 10000 \quad \sim 10000 \quad \sim 100 \quad \sim 100 \quad \sim 100 \quad 1$



Orders of magnitude difference  
 between column of data matrix  
 → least-squares yields poor results

# Normalized 8-point algorithm

---

1. Transform input by  $\hat{\mathbf{x}}_i = \mathbf{T}\mathbf{x}_i$ ,  $\hat{\mathbf{x}}'_i = \mathbf{T}\mathbf{x}'_i$
2. Call 8-point on  $\hat{\mathbf{x}}_i, \hat{\mathbf{x}}'_i$  to obtain  $\hat{\mathbf{F}}$
3.  $\mathbf{F} = \mathbf{T}'^T \hat{\mathbf{F}} \mathbf{T}$

$$\mathbf{x}'^T \mathbf{F} \mathbf{x} = 0$$


$$\hat{\mathbf{x}}'^T \mathbf{T}'^{-T} \mathbf{F} \mathbf{T}^{-1} \hat{\mathbf{x}} = 0$$

$\underbrace{\hspace{10em}}_{\hat{\mathbf{F}}}$

# Normalized 8-point algorithm

normalized least squares yields good results

Transform image to  $\sim[-1,1] \times [-1,1]$



# Normalized 8-point algorithm

---

```
[x1, T1] = normalise2dpts(x1);
```

```
[x2, T2] = normalise2dpts(x2);
```

```
A = [x2(1,:)'.*x1(1,:)  x2(1,:)'.*x1(2,:)  x2(1,:)  ...  
      x2(2,:)'.*x1(1,:)  x2(2,:)'.*x1(2,:)  x2(2,:)  ...  
      x1(1,:)           x1(2,:)           ones(npts,1) ];
```

```
[U,D,V] = svd(A);
```

```
F = reshape(V(:,9),3,3)';
```

```
[U,D,V] = svd(F);
```

```
F = U*diag([D(1,1) D(2,2) 0])*V';
```

```
% Denormalise
```

```
F = T2'*F*T1;
```



# Normalization

---

```
function [newpts, T] = normalise2dpts(pts)
```

```
    c = mean(pts(1:2,:))'; % Centroid
```

```
    newp(1,:) = pts(1,:)-c(1); % Shift origin to centroid.
```

```
    newp(2,:) = pts(2,:)-c(2);
```

```
    meandist = mean(sqrt(newp(1,:).^2 + newp(2,:).^2));
```

```
    scale = sqrt(2)/meandist;
```

```
    T = [scale    0  -scale*c(1)
         0    scale -scale*c(2)
         0     0     1      ];
```

```
    newpts = T*pts;
```

# RANSAC

---

repeat

- select minimal sample (8 matches)

- compute solution(s) for F



- determine inliers

until  $\Gamma(\#inliers, \#samples) > 95\%$  or too many times

compute F based on all inliers



# Results (ground truth)

■ Ground truth with standard stereo calibration



# Results (8-point algorithm)



## ■ 8-point algorithm



# Results (normalized 8-point algorithm)

---


## ■ Normalized 8-point algorithm



# Structure from motion

# Structure from motion

---



structure from motion: automatic recovery of camera motion and scene structure from two or more images. It is a self calibration technique and called *automatic camera tracking* or *matchmoving*.

# Applications

---

- For computer vision, multiple-view shape reconstruction, novel view synthesis and autonomous vehicle navigation.
- For film production, seamless insertion of CGI into live-action backgrounds



# Matchmove

---



[example #1](#)

[example #2](#)

[example #3](#)

[example #4](#)


# CCRFA

---

- <http://www.ccrfa.com/ccrfa/>
- [Making of "The Disappearing Act"](#)
- [2007 winner](#)

# Structure from motion

---




SFM pipeline

# Structure from motion

---

- Step 1: Track Features
  - Detect good features, Shi & Tomasi, SIFT
  - Find correspondences between frames
    - Lucas & Kanade-style motion estimation
    - window-based correlation
    - SIFT matching



# KLT tracking

---



<http://www.ces.clemson.edu/~stb/klf/>

# Structure from Motion

---


- Step 2: Estimate Motion and Structure
  - Simplified projection model, e.g., [Tomasi 92]
  - 2 or 3 views at a time [Hartley 00]



# Structure from Motion

---



- Step 3: Refine estimates
  - “Bundle adjustment” in photogrammetry
  - Other iterative methods



# Structure from Motion

---

- Step 4: Recover surfaces (image-based triangulation, silhouettes, stereo...)






# Factorization methods

# Problem statement

---



# Notations

---

- $n$  3D points are seen in  $m$  views
- $\mathbf{q}=(u, v, 1)$ : 2D image point
- $\mathbf{p}=(x, y, z, 1)$ : 3D scene point
- $\Pi$ : projection matrix
- $\pi$ : projection function
- $q_{ij}$  is the projection of the  $i$ -th point on image  $j$
- $\lambda_{ij}$  projective depth of  $q_{ij}$

$$\mathbf{q}_{ij} = \pi(\Pi_j \mathbf{p}_i)$$

$$\pi(x, y, z) = (x / z, y / z)$$

$$\lambda_{ij} = z$$

# Structure from motion

---

- Estimate  $\Pi_j$  and  $\mathbf{p}_i$  to minimize

$$\mathcal{E}(\Pi_1, \dots, \Pi_m, \mathbf{p}_1, \dots, \mathbf{p}_n) = \sum_{j=1}^m \sum_{i=1}^n w_{ij} \log P(\pi(\Pi_j \mathbf{p}_i); \mathbf{q}_{ij})$$

$$w_{ij} = \begin{cases} 1 & \text{if } p_i \text{ is visible in view } j \\ 0 & \text{otherwise} \end{cases}$$


- Assume isotropic Gaussian noise, it is reduced to

$$\mathcal{E}(\Pi_1, \dots, \Pi_m, \mathbf{p}_1, \dots, \mathbf{p}_n) = \sum_{j=1}^m \sum_{i=1}^n w_{ij} \left\| \pi(\Pi_j \mathbf{p}_i) - \mathbf{q}_{ij} \right\|^2$$

- Start from a simpler projection model

# SFM under orthographic projection

2D image point      Orthographic projection incorporating 3D rotation      3D scene point      image offset


$$\mathbf{q} = \mathbf{\Pi} \mathbf{p} + \mathbf{t}$$

$2 \times 1$        $2 \times 3$   $3 \times 1$        $2 \times 1$

- Trick
  - Choose scene origin to be centroid of 3D points
  - Choose image origins to be centroid of 2D points
  - Allows us to drop the camera translation:

$$\mathbf{q} = \mathbf{\Pi} \mathbf{p}$$

# factorization (Tomasi & Kanade)

projection of  $n$  features in one image:

$$\begin{bmatrix} \mathbf{q}_1 & \mathbf{q}_2 & \cdots & \mathbf{q}_n \end{bmatrix} = \prod \begin{bmatrix} \mathbf{p}_1 & \mathbf{p}_2 & \cdots & \mathbf{p}_n \end{bmatrix}$$

$2 \times n \qquad \qquad 2 \times 3 \qquad \qquad 3 \times n$

projection of  $n$  features in  $m$  images

$$\begin{bmatrix} \mathbf{q}_{11} & \mathbf{q}_{12} & \cdots & \mathbf{q}_{1n} \\ \mathbf{q}_{21} & \mathbf{q}_{22} & \cdots & \mathbf{q}_{2n} \\ \vdots & \vdots & \ddots & \vdots \\ \mathbf{q}_{m1} & \mathbf{q}_{m2} & \cdots & \mathbf{q}_{mn} \end{bmatrix} = \begin{bmatrix} \mathbf{\Pi}_1 \\ \mathbf{\Pi}_2 \\ \vdots \\ \mathbf{\Pi}_m \end{bmatrix} \begin{bmatrix} \mathbf{p}_1 & \mathbf{p}_2 & \cdots & \mathbf{p}_n \end{bmatrix}$$

$2m \times n \qquad \qquad 2m \times 3 \qquad \qquad 3 \times n$

**W** measurement      **M** motion      **S** shape

Key Observation:  $rank(\mathbf{W}) \leq 3$

# Factorization

$$\text{known} \rightarrow \mathbf{W}_{2m \times n} = \mathbf{M}_{2m \times 3} \mathbf{S}_{3 \times n} \rightarrow \text{solve for}$$

- Factorization Technique

- $W$  is at most rank 3 (assuming no noise)
- We can use *singular value decomposition* to factor  $W$ :

$$\mathbf{W}_{2m \times n} = \mathbf{M}'_{2m \times 3} \mathbf{S}'_{3 \times n}$$

- $S'$  differs from  $S$  by a linear transformation  $A$ :

$$\mathbf{W} = \mathbf{M}' \mathbf{S}' = (\mathbf{M} \mathbf{A}^{-1}) (\mathbf{A} \mathbf{S})$$

- Solve for  $A$  by enforcing *metric* constraints on  $M$

# Metric constraints

---

- Orthographic Camera
  - Rows of  $\Pi$  are orthonormal:  $\Pi \Pi^T = \begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$
- Enforcing “Metric” Constraints
  - Compute  $\mathbf{A}$  such that rows of  $\mathbf{M}$  have these properties

$$\mathbf{M}' \mathbf{A} = \mathbf{M}$$

**Trick** (not in original Tomasi/Kanade paper, but in followup work)

- Constraints are linear in  $\mathbf{A}\mathbf{A}^T$ :

$$\begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix} = \Pi \Pi^T = \Pi' \mathbf{A} (\mathbf{A} \Pi')^T = \Pi' \mathbf{G} \Pi'^T \quad \text{where } \mathbf{G} = \mathbf{A}\mathbf{A}^T$$

- Solve for  $\mathbf{G}$  first by writing equations for every  $\Pi_i$  in  $\mathbf{M}$
- Then  $\mathbf{G} = \mathbf{A}\mathbf{A}^T$  by SVD (since  $\mathbf{U} = \mathbf{V}$ )



# Factorization with noisy data

---


$$\mathbf{W}_{2m \times n} = \mathbf{M}_{2m \times 3} \mathbf{S}_{3 \times n} + \mathbf{E}_{2m \times n}$$

- SVD gives this solution
  - Provides optimal rank 3 approximation  $W'$  of  $W$

$$\mathbf{W}_{2m \times n} = \mathbf{W}'_{2m \times n} + \mathbf{E}_{2m \times n}$$

- Approach
  - Estimate  $W'$ , then use noise-free factorization of  $W'$  as before
  - Result minimizes the SSD between positions of image features and projection of the reconstruction

# Results



# Extensions to factorization methods

---



- Projective projection
- With missing data
- Projective projection with missing data

# **Bundle adjustment**

# Levenberg-Marquardt method

---

- LM can be thought of as a combination of steepest descent and the Newton method. When the current solution is far from the correct one, the algorithm behaves like a steepest descent method: slow, but guaranteed to converge. When the current solution is close to the correct solution, it becomes a Newton's method.

# Nonlinear least square

---

Given a set of measurements  $\mathbf{x}$ , try to find the best parameter vector  $\mathbf{p}$  so that the squared distance  $\boldsymbol{\varepsilon}^T \boldsymbol{\varepsilon}$  is minimal. Here,  $\boldsymbol{\varepsilon} = \mathbf{x} - \hat{\mathbf{x}}$ , with  $\hat{\mathbf{x}} = f(\mathbf{p})$ .

# Levenberg-Marquardt method

---

For a small  $\|\delta_{\mathbf{p}}\|$ ,  $f(\mathbf{p} + \delta_{\mathbf{p}}) \approx f(\mathbf{p}) + \mathbf{J}\delta_{\mathbf{p}}$

$\mathbf{J}$  is the Jacobian matrix  $\frac{\partial f(\mathbf{p})}{\partial \mathbf{p}}$

it is required to find the  $\delta_{\mathbf{p}}$  that minimizes the quantity

$$\|\mathbf{x} - f(\mathbf{p} + \delta_{\mathbf{p}})\| \approx \|\mathbf{x} - f(\mathbf{p}) - \mathbf{J}\delta_{\mathbf{p}}\| = \|\boldsymbol{\epsilon} - \mathbf{J}\delta_{\mathbf{p}}\|$$

$$\mathbf{J}^T \mathbf{J} \delta_{\mathbf{p}} = \mathbf{J}^T \boldsymbol{\epsilon}$$

$$\mathbf{N} \delta_{\mathbf{p}} = \mathbf{J}^T \boldsymbol{\epsilon}$$

$$\mathbf{N}_{ii} = \mu + \left[ \mathbf{J}^T \mathbf{J} \right]_{ii}$$

  
*damping term*

# Levenberg-Marquardt method

---

- $\mu = 0 \rightarrow$  Newton's method
- $\mu \rightarrow \infty \rightarrow$  steepest descent method
- Strategy for choosing  $\mu$ 
  - Start with some small  $\mu$
  - If error is not reduced, keep trying larger  $\mu$  until it does
  - If error is reduced, accept it and reduce  $\mu$  for the next iteration



# Bundle adjustment


---

- Bundle adjustment (BA) is a technique for simultaneously refining the 3D structure and camera parameters
- It is capable of obtaining an optimal reconstruction under certain assumptions on image error models. For zero-mean Gaussian image errors, BA is the maximum likelihood estimator.

# Bundle adjustment


---

- $n$  3D points are seen in  $m$  views
- $x_{ij}$  is the projection of the  $i$ -th point on image  $j$
- $a_j$  is the parameters for the  $j$ -th camera
- $b_i$  is the parameters for the  $i$ -th point
- BA attempts to minimize the projection error

$$\min_{\mathbf{a}_j, \mathbf{b}_i} \sum_{i=1}^n \sum_{j=1}^m d(\mathbf{Q}(\mathbf{a}_j, \mathbf{b}_i), \mathbf{x}_{ij})^2$$


Euclidean distance

# Bundle adjustment



# Bundle adjustment


3 views and 4 points  $\mathbf{P} = (\mathbf{a}_1^T, \mathbf{a}_2^T, \mathbf{a}_3^T, \mathbf{b}_1^T, \mathbf{b}_2^T, \mathbf{b}_3^T, \mathbf{b}_4^T)^T$

$\mathbf{X} = (\mathbf{x}_{11}^T, \mathbf{x}_{12}^T, \mathbf{x}_{13}^T, \mathbf{x}_{21}^T, \mathbf{x}_{22}^T, \mathbf{x}_{23}^T, \mathbf{x}_{31}^T, \mathbf{x}_{32}^T, \mathbf{x}_{33}^T, \mathbf{x}_{41}^T, \mathbf{x}_{42}^T, \mathbf{x}_{43}^T)^T$


$$\frac{\partial \mathbf{X}}{\partial \mathbf{P}} = \begin{pmatrix} \mathbf{A}_{11} & \mathbf{0} & \mathbf{0} & \mathbf{B}_{11} & \mathbf{0} & \mathbf{0} & \mathbf{0} \\ \mathbf{0} & \mathbf{A}_{12} & \mathbf{0} & \mathbf{B}_{12} & \mathbf{0} & \mathbf{0} & \mathbf{0} \\ \mathbf{0} & \mathbf{0} & \mathbf{A}_{13} & \mathbf{B}_{13} & \mathbf{0} & \mathbf{0} & \mathbf{0} \\ \mathbf{A}_{21} & \mathbf{0} & \mathbf{0} & \mathbf{0} & \mathbf{B}_{21} & \mathbf{0} & \mathbf{0} \\ \mathbf{0} & \mathbf{A}_{22} & \mathbf{0} & \mathbf{0} & \mathbf{B}_{22} & \mathbf{0} & \mathbf{0} \\ \mathbf{0} & \mathbf{0} & \mathbf{A}_{23} & \mathbf{0} & \mathbf{B}_{23} & \mathbf{0} & \mathbf{0} \\ \mathbf{A}_{31} & \mathbf{0} & \mathbf{0} & \mathbf{0} & \mathbf{0} & \mathbf{B}_{31} & \mathbf{0} \\ \mathbf{0} & \mathbf{A}_{32} & \mathbf{0} & \mathbf{0} & \mathbf{0} & \mathbf{B}_{32} & \mathbf{0} \\ \mathbf{0} & \mathbf{0} & \mathbf{A}_{33} & \mathbf{0} & \mathbf{0} & \mathbf{B}_{33} & \mathbf{0} \\ \mathbf{A}_{41} & \mathbf{0} & \mathbf{0} & \mathbf{0} & \mathbf{0} & \mathbf{0} & \mathbf{B}_{41} \\ \mathbf{0} & \mathbf{A}_{42} & \mathbf{0} & \mathbf{0} & \mathbf{0} & \mathbf{0} & \mathbf{B}_{42} \\ \mathbf{0} & \mathbf{0} & \mathbf{A}_{43} & \mathbf{0} & \mathbf{0} & \mathbf{0} & \mathbf{B}_{43} \end{pmatrix}$$

# Typical Jacobian

---



# Block structure of normal equation



# Bundle adjustment

$$\begin{pmatrix}
 \mathbf{U}_1 & \mathbf{0} & \mathbf{0} & \mathbf{W}_{11} & \mathbf{W}_{21} & \mathbf{W}_{31} & \mathbf{W}_{41} \\
 \mathbf{0} & \mathbf{U}_2 & \mathbf{0} & \mathbf{W}_{12} & \mathbf{W}_{22} & \mathbf{W}_{32} & \mathbf{W}_{42} \\
 \mathbf{0} & \mathbf{0} & \mathbf{U}_3 & \mathbf{W}_{13} & \mathbf{W}_{23} & \mathbf{W}_{33} & \mathbf{W}_{43} \\
 \mathbf{W}_{11}^T & \mathbf{W}_{12}^T & \mathbf{W}_{13}^T & \mathbf{V}_1 & \mathbf{0} & \mathbf{0} & \mathbf{0} \\
 \mathbf{W}_{21}^T & \mathbf{W}_{22}^T & \mathbf{W}_{23}^T & \mathbf{0} & \mathbf{V}_2 & \mathbf{0} & \mathbf{0} \\
 \mathbf{W}_{31}^T & \mathbf{W}_{32}^T & \mathbf{W}_{33}^T & \mathbf{0} & \mathbf{0} & \mathbf{V}_3 & \mathbf{0} \\
 \mathbf{W}_{41}^T & \mathbf{W}_{42}^T & \mathbf{W}_{43}^T & \mathbf{0} & \mathbf{0} & \mathbf{0} & \mathbf{V}_4
 \end{pmatrix}
 \begin{pmatrix}
 \delta_{\mathbf{a}_1} \\
 \delta_{\mathbf{a}_2} \\
 \delta_{\mathbf{a}_3} \\
 \delta_{\mathbf{b}_1} \\
 \delta_{\mathbf{b}_2} \\
 \delta_{\mathbf{b}_3} \\
 \delta_{\mathbf{b}_4}
 \end{pmatrix}
 =
 \begin{pmatrix}
 \epsilon_{\mathbf{a}_1} \\
 \epsilon_{\mathbf{a}_2} \\
 \epsilon_{\mathbf{a}_3} \\
 \epsilon_{\mathbf{b}_1} \\
 \epsilon_{\mathbf{b}_2} \\
 \epsilon_{\mathbf{b}_3} \\
 \epsilon_{\mathbf{b}_4}
 \end{pmatrix}$$

$$\mathbf{U}^* = \begin{pmatrix} \mathbf{U}_1^* & \mathbf{0} & \mathbf{0} \\ \mathbf{0} & \mathbf{U}_2^* & \mathbf{0} \\ \mathbf{0} & \mathbf{0} & \mathbf{U}_3^* \end{pmatrix}, \mathbf{V}^* = \begin{pmatrix} \mathbf{V}_1^* & \mathbf{0} & \mathbf{0} & \mathbf{0} \\ \mathbf{0} & \mathbf{V}_2^* & \mathbf{0} & \mathbf{0} \\ \mathbf{0} & \mathbf{0} & \mathbf{V}_3^* & \mathbf{0} \\ \mathbf{0} & \mathbf{0} & \mathbf{0} & \mathbf{V}_4^* \end{pmatrix}, \mathbf{W} = \begin{pmatrix} \mathbf{W}_{11} & \mathbf{W}_{21} & \mathbf{W}_{31} & \mathbf{W}_{41} \\ \mathbf{W}_{12} & \mathbf{W}_{22} & \mathbf{W}_{32} & \mathbf{W}_{42} \\ \mathbf{W}_{13} & \mathbf{W}_{23} & \mathbf{W}_{33} & \mathbf{W}_{43} \end{pmatrix}$$

$$\begin{pmatrix} \mathbf{U}^* & \mathbf{W} \\ \mathbf{W}^T & \mathbf{V}^* \end{pmatrix}
 \begin{pmatrix} \delta_{\mathbf{a}} \\ \delta_{\mathbf{b}} \end{pmatrix}
 =
 \begin{pmatrix} \epsilon_{\mathbf{a}} \\ \epsilon_{\mathbf{b}} \end{pmatrix}$$

# Bundle adjustment

---

Multiplied by  $\begin{pmatrix} \mathbf{I} & -\mathbf{W} \mathbf{V}^{*-1} \\ \mathbf{0} & \mathbf{I} \end{pmatrix}$

$$\begin{pmatrix} \mathbf{U}^* - \mathbf{W} \mathbf{V}^{*-1} \mathbf{W}^T & \mathbf{0} \\ \mathbf{W}^T & \mathbf{V}^* \end{pmatrix} \begin{pmatrix} \delta_{\mathbf{a}} \\ \delta_{\mathbf{b}} \end{pmatrix} = \begin{pmatrix} \epsilon_{\mathbf{a}} - \mathbf{W} \mathbf{V}^{*-1} \epsilon_{\mathbf{b}} \\ \epsilon_{\mathbf{b}} \end{pmatrix}$$

$$(\mathbf{U}^* - \mathbf{W} \mathbf{V}^{*-1} \mathbf{W}^T) \delta_{\mathbf{a}} = \epsilon_{\mathbf{a}} - \mathbf{W} \mathbf{V}^{*-1} \epsilon_{\mathbf{b}}$$

$$\mathbf{V}^* \delta_{\mathbf{b}} = \epsilon_{\mathbf{b}} - \mathbf{W}^T \delta_{\mathbf{a}}$$



# Issues in SFM

---

- Track lifetime
- Nonlinear lens distortion
- Degeneracy and critical surfaces
- Prior knowledge and scene constraints
- Multiple motions


# Track lifetime



every 50th frame of a 800-frame sequence

# Track lifetime


---



lifetime of 3192 tracks from the previous sequence

# Track lifetime

---



track length histogram



# Nonlinear lens distortion

---



# Nonlinear lens distortion

---



effect of lens distortion



# Prior knowledge and scene constraints DigiVFX

---



add a constraint that several lines are parallel

# Prior knowledge and scene constraints



add a constraint that it is a turntable sequence



# Applications of matchmove

# 2d3 boujou



Enemy at the Gate, Double Negative

2d3 boujou



DigiVFX



Enemy at the Gate, Double Negative

# Jurassic park




# Photo Tourism



## Photo Tourism

Exploring photo collections in 3D



(a)



(b)



(c)

# VideoTrace

---



<http://www.acvt.com.au/research/videotrace/>

# Project #3 MatchMove

---

- It is more about using tools in this project
- You can choose either calibration or structure from motion to achieve the goal
- Calibration
- Icarus/Voodoo

# References

---

- Carlo Tomasi and Takeo Kanade, [Shape and Motion from Image Streams: A Factorization Method](#), Proceedings of Natl. Acad. Sci., 1993.
- Manolis Lourakis and Antonis Argyros, [The Design and Implementation of a Generic Sparse Bundle Adjustment Software Package Based on the Levenberg-Marquardt Algorithm](#), FORTH-ICS/TR-320 2004.
- N. Snavely, S. Seitz, R. Szeliski, [Photo Tourism: Exploring Photo Collections in 3D](#), SIGGRAPH 2006.
- A. Hengel et. al., [VideoTrace: Rapid Interactive Scene Modelling from Video](#), SIGGRAPH 2007.