


Smart Plot: **fplot**

- Use **fplot** to make a line plot over a specific range with adaptive steps.
- You may assign a function in a string form to **fplot**.¹

```
1 clear; clc; close all;  
2  
3 fplot("sin(1 / x)", [-0.05, 0.05]); grid on;
```


¹Warning: **fplot** will not accept character vector or string inputs in a future release.




errorbar²

```
1 clear; clc; close all;
2
3 x = 0 : 10 : 100;
4 y = [20 30 45 40 60 65 80 75 95 90];
5 yneg = [1 3 5 3 5 3 6 4 3 3];
6 ypos = [2 5 3 5 2 5 2 2 5 5];
7 xneg = [1 3 5 3 5 3 6 4 3 3];
8 xpos = [2 5 3 5 2 5 2 2 5 5];
9 errorbar(x, y, yneg, ypos, xneg, xpos, "o");
10 grid on;
```

²See <https://www.mathworks.com/help/matlab/ref/errorbar.html>.



Pie Chart



```
1 clear; clc; close all;
2
3 X = rand(1, 5);
4 labels = {"A", "B", "C", "D", "E"};
5 explode = [0, 1, 0, 1, 0];
6 pie(X, explode, labels);
```

- Use **pie** to create a pie chart.³
- Note that the explode vector is used to offset slices for the nonzero elements.

³See <https://www.mathworks.com/help/matlab/ref/pie.html>.

Word Cloud

market_values



```
1 clear; clc; close all;
2
3 [~, ~, raw] = xlsread("twse_mktValue.xlsx");
4
5 stock_ticks = string(raw(4 : end, 1));
6 idx = strcmp(raw(:, 3), "-"); % Find all "-"s.
7 raw(idx, 3) = {0};           % Replace them by 0.
8 market_values = [raw{4 : end, 3}]';
9
10 tbl = table(stock_ticks, market_values);
11 figure;
12 wordcloud(tbl, "stock_ticks", "market_values");
```

- Use **strcmp** to compare strings and return a boolean vector.
- Use **wordcloud** to create a word cloud chart from text data.⁴


⁴See <https://www.mathworks.com/help/matlab/ref/wordcloud.html>.

Contours⁵

- Use **meshgrid** to partition the specified range of x and y .
- Note that the return values are in form of matrices. (Why?)

```
1 clear; clc; close all;
2
3 x = linspace(-2 * pi, 2 * pi);
4 y = linspace(0, 4 * pi);
5 [X, Y] = meshgrid(x, y);
6 Z = sin(X) + cos(Y); % Using vectorization.
7 figure; contour(X, Y, Z, "showtext", "on");
```

⁵See <https://www.mathworks.com/help/matlab/ref/contour.html>. You may try **contourf**.




Quiver (Velocity) Plot

- Use **quiver(x, y, u, v)** to plot a vector (u, v) at the coordinate (x, y) .
- Use **peaks** with a positive number as sample size to generate a set of 3d points.⁶

```
1 clear; clc; close all;
2
3 [x, y, z] = peaks(20);
4 [u, v] = gradient(z);
5 figure; hold on; grid on;
6 contour(x, y, z, 10);
7 quiver(x, y, u, v);
```


⁶See <https://www.mathworks.com/help/matlab/ref/peaks.html>



Mesh Plot

- Use **mesh** to draw a wireframe mesh.


```
1 clear; clc; close all;  
2  
3 x = linspace(-3, 3, 50);  
4 y = x + pi / 2;  
5 [X, Y] = meshgrid(x, y);  
6 Z = cos(X) .* sin(Y);  
7 figure; mesh(X, Y, Z); grid on;  
8 xlabel("x"); ylabel("y"); zlabel("z");
```



Surface Plot

- Use **surf** to draw a colored surface.
- Try **meshz**, **meshc**, **surfc**, and **waterfall**.


```
1 clear; clc; close all;
2
3 x = linspace(-2, 2, 25);
4 y = linspace(-2, 2, 25);
5 [X, Y] = meshgrid(x, y); % form all x-y pairs
6 Z = X .* exp(-X .^ 2 - Y .^ 2);
7 surf(X, Y, Z);
8 xlabel("x"); ylabel("y"); zlabel("z");
```



Exercise

- Write a program to draw a surface plot for $sinc(R) = \frac{\sin(R)}{R}$.
- Note that there exists a singularity at $R = 0$, which should be removed by replacing a zero with $\text{eps} = 2.2204 \times 10^{-16}$.


```
1 clear; clc; close all;
2
3 [X, Y] = meshgrid(linspace(-10, 10, 51));
4 R = sqrt(X .^ 2 + Y .^ 2);
5 R(R == 0) = eps; % Avoid the singularity.
6 Z = sin(R) ./ R;
7 surf(X, Y, Z);
```



3D Line Plot

- Use **plot3** to draw a 3d curve.

```
1 clear; clc; close all;
2
3 t = linspace(0, 10 * pi, 100);
4 x = t .* sin(t); y = t .* cos(t);
5
6 figure;
7 plot3(x, y, t); hold on;
8 plot3(x, y, -t, "r");
9 axis equal; grid on;
```



Misc⁹

- Use the button *Rotate 3D* to change the view angle.
- Use **view** to set the view angle.⁷
- Try **colorbar** and **colormap**.⁸


```
1 clear; clc; close all;
2
3 peaks;
4 view([117, 58]); % View angle in degree.
5 colorbar; % Appends a colorbar to the current axes.
6 colormap summer; % Change the colormap.
```

⁷az: azimuth (horizontal) rotation; el: vertical elevation.

⁸See <https://www.mathworks.com/help/matlab/ref/colormap.html>.

⁹See

Peaks



```
1 >> Lecture 4
2 >>
3 >>           -- Functions
4 >>
```

Motivation

- A large and complicated problem would be conquered by solving its subproblems.
- So the first step is **problem decomposition**, that is, separating tasks into smaller self-contained units.
- This is also beneficial to **code reuse** without copying the codes.
- Note that **bugs propagate across the program when you copy and paste the codes.**

Function

- A **function** is a piece of program code that accepts **input arguments** from the caller, and then returns **output arguments** to the caller.
- In MATLAB, the syntax of functions is similar to math functions,

$$y = f(x),$$

where x is the input and y is the output.

User-Defined Functions

- We can define a new function as follows:

```
1 function [outputVar] = function_name(inputVar)
2     % What to do.
3 end
```

- This function should be saved in a file with the function name!
- Note that the input/output variables can be optional.

Example: Addition of Two Numbers

```
1 function z = myAdd(x, y)
2     % Input: x, y (any two numbers).
3     % Output: z (sum of x and y).
4     z = x + y;
5 end
```

- It seems bloody trivial.
- The truth is that the plus operator is actually the function **plus**.¹⁰
- Also true for all the operators like +.

¹⁰See <https://www.mathworks.com/help/matlab/ref/plus.html>.

Variable-length Input Argument List¹¹ (Optional)

- We can know the number of input arguments for the function executed by **nargin**.
- **varargin** is an input variable in a function definition statement that enables the function to accept any number of input arguments.
 - It must be declared as the last input argument and collects all the inputs from that point onwards.
- The variable **varargout** is a special word similar to **varargin** but for outputs.

¹¹See <https://www.mathworks.com/help/matlab/ref/varargin.html>.

Example

```
1 function ret = myAdd(varargin)
2
3     switch nargin
4         case 0
5             disp("No input.");
6         case 1
7             ret = varargin{1};
8         case {2, 3}
9             ret = sum([varargin{:}]);
10        otherwise
11            error("Too many inputs.");
12    end
13
14 end
```

Variable Scope

- Variables in a function are known as **local variables**, existing only for the function.
- These variables are wiped out when the function finishes its task.
- You may trace the data flow in the program by using the **debugger**.¹²
 - Let's set some **breakpoints**!!!

¹²See https://www.mathworks.com/help/matlab/matlab_prog/debugging-process-and-features.html

Example

```
1 clear; clc;  
2  
3 x = 0;  
4 for i = 1 : 5  
5     addOne(x);  
6     disp(x); % output ?  
7 end
```

```
1 function addOne(x)  
2     x = x + 1;  
3 end
```

Function Handles & Anonymous Functions

- Anonymous functions are used once and not written in the standard form of functions, for example,

```
1 f = @(x) x.^2 + 1 % f is a function handle.
```

- However, they contain **only single statement**.
- Besides, we use **function handles**¹³ to handle functions.
- This is also called **lambda expressions**.
- You can also assign an existing function to a handle, for example,

```
1 g = @sin
```

¹³You may refer to https://en.wikipedia.org/wiki/Function_pointer.
The truth is that every function name is an alias of the function address!

More Examples^{14,15,16}

```
1 function y = parabolicFunGen(a, b, c)
2     y = @(x) a * x .^ 2 + b * x + c;
3 end
```

```
1 function y = getSlope(f, x0)
2     eps = 1e-9;
3     y = (f(x0 + eps) - f(x0)) / eps;
4 end
```

```
1 function y = differentiate(f)
2     eps = 1e-9;
3     y = @(x) (f(x + eps) - f(x)) / eps;
4 end
```

¹⁴Thanks to a lively class discussion (MATLAB244) on August 22, 2014.

¹⁵Contribution by Ms. Queenie Chang (MAT25108) on March 18, 2015.

¹⁶Thanks to a lively class discussion (MATLAB260) on September 16, 2015.

Vectorization (Revisited)

- We can apply a function to each element of array by **arrayfun**.¹⁷

```
1 B = arrayfun(@(x) 2 * x, A) % Equivalent to 2 * A.
```

- cellfun** is similar to **arrayfun** but applied to cells.¹⁸

```
1 >> data = {"NTU", "CSIE", [], "MATLAB"};
2 >> isempty(data) % Output 0.
3 >> cellfun(@isempty, data) % Output 0 0 1 0.
```

¹⁷ See <https://www.mathworks.com/help/matlab/ref/arrayfun.html>.

¹⁸ See <https://www.mathworks.com/help/matlab/ref/cellfun.html>.

Error and Error Handling

- You can issue/throw an **error** if you **do not allow** the callee for some situations.

```
1 if bad_condition  
2     error("So wrong."); % Interrupt the normal flow.  
3 end
```

- As an app programmer, you should use a **try-catch** statement to handle errors.

```
1 try  
2     % Normal operations.  
3 catch  
4     % Handler operations.  
5 end
```

Example: Combinations

- For all nonnegative integers $n \geq k$, $\binom{n}{k}$ is given by

$$\binom{n}{k} = \frac{n!}{k!(n-k)!}.$$

- Note that **factorial**(n) returns $n!$.

```
1 clear; clc;
2
3 n = input("n = ? ");
4 k = input("k = ? ");
5 y = factorial(n) / (factorial(k) * factorial(n - k))
6 disp('End of program.');
```

- Try $n = 2, k = 5$.
- However, **factorial**(-3) is not allowed!
- The program is not designed to handle this error, so it is interrupted in Line 5 and does not reach the end of program.
- Add error handling to the program:

```
1 clear; clc;
2
3 n = input("n = ? ");
4 k = input("k = ? ");
5 try
6     y = factorial(n) / (factorial(k) * ...
7                         factorial(n - k))
8 catch e % capture the thrown exception
9     disp("Error: " + e.message); % show the message
10 end
11 disp("End of program.");
```

```
1 >> Lecture 5
2 >>
3 >>          -- Special Topic: Text Processing
4 >>
```

(Most) Common Codec: ASCII²⁰

- Everything in the computer is encoded in binary.
- ASCII is a character-encoding scheme originally based on the English alphabet that encodes 128 specified characters into the 7-bit binary integers (see the next page).
- Unicode¹⁹ became a standard for the modern systems from 2007.
 - Unicode is backward compatible with ASCII because ASCII is a subset of Unicode.

¹⁹See [Unicode 8.0 Character Code Charts](#).

²⁰Codec: coder-decoder; ASCII: American Standard Code for Information Interchange, also see <http://zh.wikipedia.org/wiki/ASCII>.

Hex	Dec	Char	Hex	Dec	Char	Hex	Dec	Char	Hex	Dec	Char
0x00	0	NULL null	0x20	32	Space	0x40	64	€	0x60	96	ؐ
0x01	1	SOH Start of heading	0x21	33	!	0x41	65	A	0x61	97	a
0x02	2	STX Start of text	0x22	34	"	0x42	66	B	0x62	98	b
0x03	3	ETX End of text	0x23	35	#	0x43	67	C	0x63	99	c
0x04	4	EOT End of transmission	0x24	36	\$	0x44	68	D	0x64	100	d
0x05	5	ENQ Enquiry	0x25	37	%	0x45	69	E	0x65	101	e
0x06	6	ACK Acknowledge	0x26	38	&	0x46	70	F	0x66	102	f
0x07	7	BELL Bell	0x27	39	'	0x47	71	G	0x67	103	g
0x08	8	BS Backspace	0x28	40	(0x48	72	H	0x68	104	h
0x09	9	TAB Horizontal tab	0x29	41)	0x49	73	I	0x69	105	i
0x0A	10	LF New line	0x2A	42	*	0x4A	74	J	0x6A	106	j
0x0B	11	VT Vertical tab	0x2B	43	+	0x4B	75	K	0x6B	107	k
0x0C	12	FF Form Feed	0x2C	44	,	0x4C	76	L	0x6C	108	l
0x0D	13	CR Carriage return	0x2D	45	-	0x4D	77	M	0x6D	109	m
0x0E	14	SO Shift out	0x2E	46	.	0x4E	78	N	0x6E	110	n
0x0F	15	SI Shift in	0x2F	47	/	0x4F	79	O	0x6F	111	o
0x10	16	DLE Data link escape	0x30	48	0	0x50	80	P	0x70	112	p
0x11	17	DC1 Device control 1	0x31	49	1	0x51	81	Q	0x71	113	q
0x12	18	DC2 Device control 2	0x32	50	2	0x52	82	R	0x72	114	r
0x13	19	DC3 Device control 3	0x33	51	3	0x53	83	S	0x73	115	s
0x14	20	DC4 Device control 4	0x34	52	4	0x54	84	T	0x74	116	t
0x15	21	NAK Negative ack	0x35	53	5	0x55	85	U	0x75	117	u
0x16	22	SYN Synchronous idle	0x36	54	6	0x56	86	V	0x76	118	v
0x17	23	ETB End transmission block	0x37	55	7	0x57	87	W	0x77	119	w
0x18	24	CAN Cancel	0x38	56	8	0x58	88	X	0x78	120	x
0x19	25	EM End of medium	0x39	57	9	0x59	89	Y	0x79	121	y
0x1A	26	SUB Substitute	0x3A	58	:	0x5A	90	Z	0x7A	122	z
0x1B	27	FSC Escape	0x3B	59	;	0x5B	91	[0x7B	123	{
0x1C	28	FS File separator	0x3C	60	<	0x5C	92	\	0x7C	124	
0x1D	29	GS Group separator	0x3D	61	=	0x5D	93]	0x7D	125	}
0x1E	30	RS Record separator	0x3E	62	>	0x5E	94	^	0x7E	126	-
0x1F	31	US Unit separator	0x3F	63	?	0x5F	95	_	0x7F	127	DEL

Characters and Strings (Revisited)

- Before R2017a, a text is a sequence of characters, just like numeric arrays.
 - For example, 'ntu'.
- Most built-in functions can be applied to string arrays.

```
1 clear; clc;
2
3 s1 = 'ntu'; s2 = 'csie';
4 s = {s1, s2};
5 upper(s) % output: {'NTU', 'CSIE'}
```

- Since R2017a, you can create a string by enclosing a piece of text in **double quotes**.²¹
 - For example, "ntu".
- You can find a big difference between characters and strings in this example:

```
1 clear; clc;  
2  
3 s1 = 'ntu'; s2 = 'NTU';  
4 s1 + s2 % output: 188 200 202  
5  
6 s3 = string(s1); s4 = string(s2);  
7 s3 + s4 % output: "ntuNTU"
```

²¹See <https://www.mathworks.com/help/matlab/ref/string.html>.

Selected Text Operations²²

sprintf	Format data into string.
strcat	Concatenate strings horizontally.
contains	Determine if pattern is in string.
count	Count occurrences of pattern in string.
endsWith	Determine if string ends with pattern.
startsWith	Determine if string starts with pattern.
strfind	Find one string within another.
replace	Find and replace substrings in string array.
split	Split strings in string array.
strjoin	Join text in array.
lower	Convert string to lowercase.
upper	Convert string to uppercase.
reverse	Reverse order of characters in string.

²²See <https://www.mathworks.com/help/matlab/characters-and-strings.html>.

//www.mathworks.com/help/matlab/characters-and-strings.html ▶



Introduction to Regular Expressions²³

- A regular expression, also called a pattern, is an expression used to specify a set of strings required for a particular purpose.
 - Check this: <https://regexone.com>.

²³See https://en.wikipedia.org/wiki/Regular_expression; also https://www.mathworks.com/help/matlab/matlab_prog/regular-expressions.html.

Example

```
1 >> text = 'bat cat can car coat court CUT ct ...  
          CAT-scan';  
2 >> pattern = 'c[aeiou]+t';  
3 >> start_idx = regexp(text, pattern)  
4  
5 start_idx =  
6  
7      5      17
```

- The pattern '`c[aeiou]+t`' indicates a set of strings:
 - c must be the first character;
 - c must be followed by one of the characters in the brackets [aeiou], followed by t as the last character;
 - in particular, [aeiou] must occur one or more times, as indicated by the + operator.

Metacharacters²⁴

Operator	Definition
	Boolean OR.
*	0 or more times consecutively.
?	0 times or 1 time.
+	1 or more times consecutively.
{n}	exactly n times consecutively.
{m, }	at least m times consecutively.
{, n}	at most n times consecutively.
{m, n}	at least m times, but no more than n times consecutively.

²⁴See <https://www.mathworks.com/help/matlab/ref/regexp.html>.

Operator	Definition
.	any single character, including white space.
[$c_1 c_2 c_3$]	any character contained within the brackets.
[^ $c_1 c_2 c_3$]	any character not contained within the brackets.
[$c_1 - c_2$]	any character in the range of c_1 through c_2 .
\s	any white-space character.
\w	a word; any alphabetic, numeric, or underscore character.
\W	not a word.
\d	any numeric digit; equivalent to [0-9].
\D	no numeric digit; equivalent to [^0-9].

Output Keywords

Keyword	Output
'start'	starting indices of all matches, by default
'end'	ending indices of all matches
'match'	text of each substring that matches the pattern
'tokens'	text of each captured token
'split'	text of nonmatching substrings
'names'	name and text of each named token

Examples

```
1 clear; clc;
2
3 text1 = {'Madrid, Spain', 'Romeo and Juliet', ...
        'MATLAB is great'};
4 tokens = regexp(text1, '\s', 'split')
5
6 text2 = 'EXTRA! The regexp function helps you ...
        relax.';
7 matches = regexp(text2, '\w*\x\w*', 'match')
```

Exercise: Listing Filtered Files

```
1 clear; clc;
2
3 file_list = dir;
4 filenames = {file_list(:).name};
5 A = regexp(filenames, '.+\\.m', 'match');
6 mask = cellfun(@(x) ~isempty(x), A);
7 cellfun(@(f) fprintf('%s\\%s\n', pwd, f{:}), A(mask))
```

Example: By Names

- You can associate names with tokens so that they are more easily identifiable.
- For example,

```
1 >> str = 'Here is a date: 01-Apr-2020';
2 >> expr = '(?<day>\d+)-(?<month>\w+)-(?<year>\d+)';
3 >> mydate = regexp(str, expr, 'names')
4
5 mydate =
6
7     day: '01'
8     month: 'Apr'
9     year: '2020'
```

Exercise: Web Crawler

- Write a script which collects the names of html tags by defining a token within a regular expression.
- For example,

```
1 >> str = '<title>My Title</title><p>Here is some ...  
2   text.</p>';  
3 >> pattern = '<(\w+).*>.*</\1>';  
4 >> [tokens, matches] = regexp(str, pattern, ...  
5   'tokens', 'match')
```

More Regexp Functions

- See **regexpi**, **regexpexpr**, and **regexptranslate**.

```
1 >> Lecture 6
2 >>
3 >>      -- Special Topic: File Operations & other I/O
4 >>
```

Spreadsheets: Excel/CSV Files (Revisited)

- The command **xlsread**(*filename*) reads excel files, for example,

```
1 [~, ~, raw] = xlsread("2330.xlsx");
```

- By default, it returns a numeric matrix.
- The text part is the 2nd output, separated from the numeric part.
- You may consider the whole spreadsheet by using the 3rd output (stored in a cell array).
- Note that you can use \sim to drop the output value.

More Tips for Excel Files

- You can specify the range.
 - For example, the string argument "`B:B`" is used to import column B.
 - If you need a single value, say the cell B1, just use "`B1:B1`".²⁵
- You could specify the worksheet by the sheet name²⁶ or the sheet number.
- You could refer to the document for more details.²⁷

²⁵Contribution by Mr. Tsung-Yu Hsieh (MAT24409) on August 27, 2014.

²⁶The default sheet name is “工作表”.

²⁷See <https://www.mathworks.com/help/matlab/ref/xlsread.html>.

Mat Files²⁸

- Recall that I/O is costly.
- To save time, you may consider **save** matrices to the disk; for example,

```
1 data1 = rand(1, 10);  
2 data2 = ones(10);  
3 save('trial.mat', 'data1', 'data2');
```

- You can use **load** to fetch the data from mat files.

```
1 load('trial.mat');
```

²⁸See <https://www.mathworks.com/help/matlab/ref/save.html>.

Selected Read/Write Functions

- For text data, see <https://www.mathworks.com/help/matlab/text-files.html>.
 - Try **dlmread**, **dlmwrite**, **csvread**, **csvwrite**, **textread/textscan**.
- For images, see https://www.mathworks.com/help/matlab/images_images.html.
- For video and audio, see <https://www.mathworks.com/help/matlab/audio-and-video.html>.

Selected File Operations²⁹

cd	Change current folder.
pwd	Identify current folder.
ls	List folder contents by chars.
dir	List folder contents by structures.
exist	Check existence of variable, script, function, folder, or class.
mkdir	Make new folder.
visdiff	Compare two files or folders.

²⁹See

<https://www.mathworks.com/help/matlab/file-operations.html>.

Example: Pooling Data from Multiple Files³⁰

```
1 clear; clc;
2
3 cd('./stocks'); % enter the folder
4 files = dir; % get all files in the current folder
5 files = files(3 : end); % drop the first two
6 names = {files(:).name}; % get all file names
7 filter = endsWith(names, '.xlsx'); % filter by .xlsx
8 names = names(filter);
9
10 pool = cell(length(names), 2);
11 for i = 1 : length(names)
12     [~, ~, raw] = xlsread(names{i});
13     pool(i, :) = {names{i}(1 : 4), raw};
14 end
15 save('data_pool', 'pool');
```

³⁰Download [stocks.zip](#).