

Decidability and Recursive Languages

- Let $L \subseteq (\Sigma - \{\square\})^*$ be a **language**, i.e., a set of strings of symbols with a finite length.
 - For example, $\{0, 01, 10, 210, 1010, \dots\}$.
- Let M be a TM such that for any string x :
 - If $x \in L$, then $M(x) = \text{“yes.”}$
 - If $x \notin L$, then $M(x) = \text{“no.”}$
- We say M **decides** L .
- If L is decided by some TM, then L is **recursive**.
 - Palindromes over $\{0, 1\}^*$ are recursive.

Acceptability and Recursively Enumerable Languages

- Let $L \subseteq (\Sigma - \{\square\})^*$ be a language.
- Let M be a TM such that for any string x :
 - If $x \in L$, then $M(x) = \text{“yes.”}$
 - If $x \notin L$, then $M(x) = \nearrow$.
- We say M **accepts** L .

Acceptability and Recursively Enumerable Languages (concluded)

- If L is accepted by some TM, then L is a **recursively enumerable language**.
 - A recursively enumerable language can be generated by a TM, thus the name.
 - That is, there is an algorithm such that for every $x \in L$, it will be printed out eventually.

Recursive and Recursively Enumerable Languages

Proposition 2 *If L is recursive, then it is recursively enumerable.*

- We need to design a TM that accepts L .
- Let TM M decide L .
- We next modify M 's program to obtain M' that accepts L .
- M' is identical to M except that when M is about to halt with a “no” state, M' goes into an infinite loop.
- M' accepts L .

Turing-Computable Functions

- Let $f : (\Sigma - \{\sqcup\})^* \rightarrow \Sigma^*$.
 - Optimization problems, root finding problems, etc.
- Let M be a TM with alphabet Σ .
- M **computes** f if for any string $x \in (\Sigma - \{\sqcup\})^*$,
 $M(x) = f(x)$.
- We call f a **recursive function**^a if such an M exists.

^aGödel (1931).

Church's Thesis or the Church-Turing Thesis

- What is computable is Turing-computable; TMs are algorithms (Kleene 1953).
- Many other computation models have been proposed.
 - Recursive function (Gödel), λ calculus (Church), formal language (Post), assembly language-like RAM (Shepherdson & Sturgis), boolean circuits (Shannon), extensions of the Turing machine (more strings, two-dimensional strings, and so on), etc.
- All have been proved to be equivalent.
- No “intuitively computable” problems have been shown not to be Turing-computable (yet).

Extended Church's Thesis


- All “reasonably succinct encodings” of problems are *polynomially related*.
 - Representations of a graph as an adjacency matrix and as a linked list are both succinct.
 - The *unary* representation of numbers is not succinct.
 - The *binary* representation of numbers is succinct.
 - * 1001 vs. 111111111.
- All numbers for TMs will be binary from now on.

Turing Machines with Multiple Strings

- A k -string Turing machine (TM) is a quadruple $M = (K, \Sigma, \delta, s)$.
- K, Σ, s are as before.
- $\delta : K \times \Sigma^k \rightarrow (K \cup \{h, \text{“yes”}, \text{“no”}\}) \times (\Sigma \times \{\leftarrow, \rightarrow, -\})^k$.
- All strings start with a \triangleright .
- The first string contains the input.
- Decidability and acceptability are the same as before.
- When TMs compute functions, the output is on the last (k th) string.

PALINDROME Revisited

- A 2-string TM can decide PALINDROME in $O(n)$ steps.
 - It copies the input to the second string.
 - The cursor of the first string is positioned at the first symbol of the input.
 - The cursor of the second string is positioned at the last symbol of the input.
 - The two cursors are then moved in opposite directions until the ends are reached.
 - The machine accepts if and only if the symbols under the two cursors are identical at all steps.



Configurations and Yielding

- The concept of configuration and yielding is the same as before except that a configuration is a $(2k + 1)$ -tuple

$$(q, w_1, u_1, w_2, u_2, \dots, w_k, u_k).$$

- $w_i u_i$ is the i th string.
 - The i th cursor is reading the last symbol of w_i .
 - Recall that \triangleright is each w_i 's first symbol.
- The k -string TM's initial configuration is

$$(s, \overbrace{\triangleright, x, \triangleright, \epsilon, \triangleright, \epsilon, \dots, \triangleright, \epsilon}^{2k}).$$

Time Complexity

- The multistring TM is the basis of our notion of the time expended by TM computations.
- If for a k -string TM M and input x , the TM halts after t steps, then the **time required by M on input x** is t .
- If $M(x) = \nearrow$, then the time required by M on x is ∞ .
- Machine M **operates within time $f(n)$** for $f : \mathbb{N} \rightarrow \mathbb{N}$ if for any input string x , the time required by M on x is at most $f(|x|)$.
 - $|x|$ is the length of string x .
 - Function $f(n)$ is a **time bound** for M .

Time Complexity Classes^a

- Suppose language $L \subseteq (\Sigma - \{\sqcup\})^*$ is decided by a multistring TM operating in time $f(n)$.
- We say $L \in \text{TIME}(f(n))$.
- $\text{TIME}(f(n))$ is the set of languages decided by TMs with multiple strings operating within time bound $f(n)$.
- $\text{TIME}(f(n))$ is a **complexity class**.
 - PALINDROME is in $\text{TIME}(f(n))$, where $f(n) = O(n)$.

^aHartmanis and Stearns (1965), Hartmanis, Lewis, and Stearns (1965).

The Simulation Technique

Theorem 3 *Given any k -string M operating within time $f(n)$, there exists a (single-string) M' operating within time $O(f(n)^2)$ such that $M(x) = M'(x)$ for any input x .*

- The single string of M' implements the k strings of M .
- Represent configuration $(q, w_1, u_1, w_2, u_2, \dots, w_k, u_k)$ of M by configuration

$$(q, \triangleright w'_1 u_1 \triangleleft w'_2 u_2 \triangleleft \dots \triangleleft w'_k u_k \triangleleft \triangleleft)$$

of M' .

- \triangleleft is a special delimiter.
- w'_i is w_i with the first and last symbols “primed.”

The Proof (continued)

- The “priming” is to ensure that M' knows which symbol is under the cursor for each simulated string.^a
- The initial configuration of M' is

$$(s, \triangleright \triangleright' x \triangleleft \overbrace{\triangleright' \triangleleft \cdots \triangleright' \triangleleft}^{k-1 \text{ pairs}} \triangleleft).$$

^aAdded because of comments made by Mr. Che-Wei (Tony) Chang (R95922093) on September 27, 2006.

The Proof (continued)

- To simulate each move of M :
 - M' scans the string to pick up the k symbols under the cursors.
 - * The states of M' must include $K \times \Sigma^k$ to remember them.
 - * The transition functions of M' must also reflect it.
 - M' then changes the string to reflect the overwriting of symbols and cursor movements of M .

The Proof (continued)

- It is possible that some strings of M need to be lengthened.
 - The linear-time algorithm on p. 30 can be used for each such string.
- The simulation continues until M halts.
- M' erases all strings of M except the last one.
- Since M halts within time $f(|x|)$, none of its strings ever becomes longer than $f(|x|)$.^a
- The length of the string of M' at any time is $O(kf(|x|))$.

^aWe tacitly assume $f(n) \geq n$.

string 1	string 2	string 3	string 4
----------	----------	----------	----------

string 1	string 2	string 3		string 4
----------	----------	----------	--	----------

The Proof (concluded)

- Simulating each step of M takes, *per string of M* , $O(kf(|x|))$ steps.
 - $O(f(|x|))$ steps to collect information.
 - $O(kf(|x|))$ steps to write and, if needed, to lengthen the string.
- M' takes $O(k^2 f(|x|))$ steps to simulate each step of M .
- As there are $f(|x|)$ steps of M to simulate, M' operates within time $O(k^2 f(|x|)^2)$.

Linear Speedup^a

Theorem 4 *Let $L \in \text{TIME}(f(n))$. Then for any $\epsilon > 0$, $L \in \text{TIME}(f'(n))$, where $f'(n) = \epsilon f(n) + n + 2$.*

^aHartmanis and Stearns (1965).

Implications of the Speedup Theorem

- State size can be traded for speed.
 - $m^k \cdot |\Sigma|^{3mk}$ -fold increase to gain a speedup of $O(m)$.
- If $f(n) = cn$ with $c > 1$, then c can be made arbitrarily close to 1.
- If $f(n)$ is superlinear, say $f(n) = 14n^2 + 31n$, then the constant in the leading term (14 in this example) can be made arbitrarily small.
 - *Arbitrary* linear speedup can be achieved.
 - This justifies the asymptotic big-O notation.

P

- By the linear speedup theorem, any polynomial time bound can be represented by its leading term n^k for some $k \geq 1$.
- If L is a polynomially decidable language, it is in $\text{TIME}(n^k)$ for some $k \in \mathbb{N}$.
 - Clearly, $\text{TIME}(n^k) \subseteq \text{TIME}(n^{k+1})$.
- The union of all polynomially decidable languages is denoted by P:

$$P = \bigcup_{k>0} \text{TIME}(n^k).$$

- Problems in P can be efficiently solved.

Charging for Space

- We do not charge the space used only for input and output.
- Let $k > 2$ be an integer.
- A **k -string Turing machine with input and output** is a k -string TM that satisfies the following conditions.
 - The input string is *read-only*.
 - The last string, the output string, is *write-only*.
 - So its cursor never moves to the left.
 - The cursor of the input string does not wander off into the \sqcup s.

Space Complexity

- Consider a k -string TM M with input x .
- Assume non- \sqcup is never written over by \sqcup .^a
 - The purpose is not to artificially downplay the space requirement.
- If M halts in configuration $(H, w_1, u_1, w_2, u_2, \dots, w_k, u_k)$, then the **space required by M on input x** is $\sum_{i=1}^k |w_i u_i|$.

^aCorrected by Ms. Chuan-Ju Wang (R95922018) on September 27, 2006.

Space Complexity (concluded)

- If M is a TM with input and output, then the space required by M on input x is $\sum_{i=2}^{k-1} |w_i u_i|$.
- Machine M **operates within space bound** $f(n)$ for $f : \mathbb{N} \rightarrow \mathbb{N}$ if for any input x , the space required by M on x is at most $f(|x|)$.

Space Complexity Classes

- Let L be a language.
- Then

$$L \in \text{SPACE}(f(n))$$

if there is a TM with input and output that decides L and operates within space bound $f(n)$.


- $\text{SPACE}(f(n))$ is a set of languages.
 - $\text{PALINDROME} \in \text{SPACE}(\log n)$: Keep 3 counters.
- As in the linear speedup theorem (Theorem 4), constant coefficients do not matter.

Nondeterminism^a

- A **nondeterministic Turing machine (NTM)** is a quadruple $N = (K, \Sigma, \Delta, s)$.
- K, Σ, s are as before.
- $\Delta \subseteq K \times \Sigma \rightarrow (K \cup \{h, \text{“yes”}, \text{“no”}\}) \times \Sigma \times \{\leftarrow, \rightarrow, -\}$ is a relation, not a function.
 - For each state-symbol combination, there may be more than one next steps—or none at all.
- A configuration yields another configuration in one step if there *exists* a rule in Δ that makes this happen.

^aRabin and Scott (1959).

Computation Tree and Computation Path



Decidability under Nondeterminism

- Let L be a language and N be an NTM.
- N **decides** L if for any $x \in \Sigma^*$, $x \in L$ if and only if there is a sequence of valid configurations that ends in “yes.”
 - It is not required that the NTM halts in all computation paths.
 - If $x \notin L$, no nondeterministic choices should lead to a “yes” state.
- What is key is the algorithm’s overall behavior not whether it gives a correct answer for each particular run.
- Determinism is a special case of nondeterminism.

An Example


- Let L be the set of logical conclusions of a set of axioms.
 - Predicates not in L may be false under the axioms.
 - They may also be independent of the axioms.
 - * That is, they can be assumed true or false without contradicting the axioms.

An Example (concluded)

- Let ϕ be a predicate whose validity we would like to prove.
- Consider the nondeterministic algorithm:
 - 1: $b := \text{true};$
 - 2: **while** the input predicate $\phi \neq b$ **do**
 - 3: Generate a logical conclusion of b by applying some of the axioms; {Nondeterministic choice.}
 - 4: Assign this conclusion to b ;
 - 5: **end while**
 - 6: “yes”;
- This algorithm decides L .

Complementing a TM's Halting States

- Let M decide L , and M' be M after “yes” \leftrightarrow “no”.
- If M is a (deterministic) TM, then M' decides \bar{L} .
- But if M is an NTM, then M' may not decide \bar{L} .
 - It is possible that both M and M' accept x (see next page).
 - When this happens, M and M' accept languages that are not complements of each other.




A Nondeterministic Algorithm for Satisfiability

ϕ is a boolean formula with n variables.

```
1: for  $i = 1, 2, \dots, n$  do  
2:   Guess  $x_i \in \{0, 1\}$ ; {Nondeterministic choice.}  
3: end for  
4: {Verification:}  
5: if  $\phi(x_1, x_2, \dots, x_n) = 1$  then  
6:   “yes”;  
7: else  
8:   “no”;  
9: end if
```

The Computation Tree for Satisfiability



Analysis

- The algorithm decides language $\{\phi : \phi \text{ is satisfiable}\}$.
 - The computation tree is a complete binary tree of depth n .
 - Every computation path corresponds to a particular truth assignment out of 2^n .
 - ϕ is satisfiable if and only if there is a computation path (truth assignment) that results in “yes.”
- General paradigm: Guess a “proof” and then verify it.

The Traveling Salesman Problem

- We are given n cities $1, 2, \dots, n$ and integer distances d_{ij} between any two cities i and j .
- Assume $d_{ij} = d_{ji}$ for convenience.
- The **traveling salesman problem** (TSP) asks for the total distance of the shortest tour of the cities.
- The decision version TSP (D) asks if there is a tour with a total distance at most B , where B is an input.
- Both problems are extremely important but equally hard (p. 313 and p. 391).

A Nondeterministic Algorithm for TSP (D)

```
1: for  $i = 1, 2, \dots, n$  do  
2:   Guess  $x_i \in \{1, 2, \dots, n\}$ ; {The  $i$ th city.}a  
3: end for  
4:  $x_{n+1} := x_1$ ;  
5: {Verification stage:}  
6: if  $x_1, x_2, \dots, x_n$  are distinct and  $\sum_{i=1}^n d_{x_i, x_{i+1}} \leq B$  then  
7:   “yes”;  
8: else  
9:   “no”;  
10: end if
```

^aCan be made into a series of $\log_2 n$ binary choices for each x_i so that the next-state count (2) is a constant, independent of input size. Contributed by Mr. Chih-Duo Hong (R95922079) on September 27, 2006.