

NAESAT

- The NAESAT (for “not-all-equal” SAT) is like 3SAT.
- But there must be a satisfying truth assignment under which no clauses have all three literals equal in truth value.
- Equivalently, there is a truth assignment such that each clause has a literal assigned true and a literal assigned false.
- Equivalently, there is a *satisfying* truth assignment under which each clause has a literal assigned false.

NAESAT (concluded)

- Take

$$\begin{aligned}\phi &= (\neg x_1 \vee \neg x_2 \vee \neg x_3) \wedge (\neg x_1 \vee x_2 \vee \neg x_3) \\ &\quad \wedge (x_1 \vee x_2 \vee x_3)\end{aligned}$$

as an example.

- Then $\{x_1 = \text{true}, x_2 = \text{false}, x_3 = \text{false}\}$
NAE-satisfies ϕ because

$$\begin{aligned}&(\text{false} \vee \text{true} \vee \text{true}) \wedge (\text{false} \vee \text{false} \vee \text{true}) \\ &\wedge (\text{true} \vee \text{false} \vee \text{false}).\end{aligned}$$

NAESAT Is NP-Complete^a

- Recall the reduction of CIRCUIT SAT to SAT on p. 285ff.
- It produced a CNF ϕ in which each clause has 1, 2, or 3 literals.
- Add the same variable z to all clauses with fewer than 3 literals to make it a 3SAT formula.
- Goal: The new formula $\phi(z)$ is NAE-satisfiable if and only if the original circuit is satisfiable.

^aSchaefer (1978).

The Proof (continued)

- The following simple observation will be useful.
- Suppose T NAE-satisfies a boolean formula ϕ .
- Let \bar{T} take the opposite truth value of T on every variable.
- Then \bar{T} also NAE-satisfies ϕ .^a

^aHesse's *Siddhartha* (1922), "The opposite of every truth is just as true!"

The Proof (continued)

- Suppose T NAE-satisfies $\phi(z)$.
 - \bar{T} also NAE-satisfies $\phi(z)$.
 - Under T or \bar{T} , variable z takes the value false.
 - *This* truth assignment \mathcal{T} must satisfy all the clauses of ϕ .
 - * Because z is not the reason that makes $\phi(z)$ true under \mathcal{T} anyway.
 - So $\mathcal{T} \models \phi$.
 - And the original circuit is satisfiable.

The Proof (concluded)

- Suppose there is a truth assignment that satisfies the circuit.
 - Then there is a truth assignment T that satisfies every clause of ϕ .
 - Extend T by adding $T(z) = \mathbf{false}$ to obtain T' .
 - T' satisfies $\phi(z)$.
 - So in no clauses are all three literals false under T' .
 - In no clauses are all three literals true under T' .
 - * Need to go over the detailed construction on pp. 286–288.


Undirected Graphs

- An **undirected graph** $G = (V, E)$ has a finite set of nodes, V , and a set of *undirected* edges, E .
- It is like a directed graph except that the edges have no directions and there are no self-loops.
- Use $[i, j]$ to mean there is an undirected edge between node i and node j .^a

^aAn equally good notation is $\{i, j\}$.

Independent Sets

- Let $G = (V, E)$ be an undirected graph.
- $I \subseteq V$.
- I is **independent** if there is no edge between any two nodes $i, j \in I$.
- INDEPENDENT SET: Given an undirected graph and a goal K , is there an independent set of size K ?
- Many applications.



INDEPENDENT SET Is NP-Complete


- This problem is in NP: Guess a set of nodes and verify that it is independent and meets the count.
- We will reduce 3SAT to INDEPENDENT SET.
- Note: If a graph contains a triangle, any independent set can contain at most one node of the triangle.
- The reduction will output graphs whose nodes can be partitioned into disjoint triangles, one for each clause.^a

^aRecall that a reduction does not have to be an onto function.

The Proof (continued)

- Let ϕ be a 3SAT formula with m clauses.
- We will construct graph G with $K = m$.
- Furthermore, ϕ is satisfiable if and only if G has an independent set of size K .
- Here is the reduction:
 - There is a triangle for each clause with the literals as the nodes' labels.
 - Add edges between x and $\neg x$ for every variable x .

$$(x_1 \vee x_2 \vee x_3) \wedge (\neg x_1 \vee \neg x_2 \vee \neg x_3) \wedge (\neg x_1 \vee x_2 \vee x_3)$$



Same literal labels that appear in the same clause or different clauses yield *distinct* nodes.

The Proof (continued)

- Suppose G has an independent set I of size $K = m$.
 - An independent set can contain at most m nodes, one from each triangle.
 - So I contains exactly one node from each triangle.
 - Truth assignment T assigns true to those literals in I .
 - T is consistent because contradictory literals are connected by an edge; hence both cannot be in I .
 - T satisfies ϕ because it has a node from every triangle, thus satisfying every clause.^a

^aThe variables without a truth value can be assigned arbitrarily. Contributed by Mr. Chun-Yuan Chen (R99922119) on November 2, 2010.

The Proof (concluded)

- Suppose ϕ is satisfiable.
 - Let truth assignment T satisfy ϕ .
 - Collect one node from each triangle whose literal is true under T .
 - The choice is arbitrary if there is more than one true literal.
 - This set of m nodes must be independent by construction.
 - * Because both literals x and $\neg x$ cannot be assigned true.

Other INDEPENDENT SET-Related NP-Complete Problems

Corollary 43 INDEPENDENT SET *is NP-complete for 4-degree graphs.*

Theorem 44 INDEPENDENT SET *is NP-complete for planar graphs.*


Theorem 45 (Garey & Johnson, 1977) INDEPENDENT SET *is NP-complete for 3-degree planar graphs.*

Is INDEPENDENT EDGE SET Also NP-Complete?

- INDEPENDENT EDGE SET: Given an undirected graph and a goal K , is there an independent *edge* set of size K ?
- This problem is equivalent to maximum matching!
- Maximum matching can be solved in polynomial time.^a

^aEdmonds (1965); Micali & V. Vazirani (1980).


A Maximum Matching



NODE COVER

- We are given an undirected graph G and a goal K .
- NODE COVER: Is there a set C with K or fewer nodes such that each edge of G has at least one of its endpoints (i.e., incident nodes) in C ?
- Many applications.


NODE COVER (concluded)



NODE COVER Is NP-Complete

Corollary 46 (Karp, 1972) NODE COVER *is NP-complete*.

- I is an independent set of $G = (V, E)$ if and only if $V - I$ is a node cover of G .^a



^aFinish the reduction!

Richard Karp^a (1935–)



^aTuring Award (1985).

Remarks^a

- Are INDEPENDENT SET and NODE COVER in P if K is a constant?
 - Yes, because one can do an exhaustive search on all the possible node covers or independent sets (both $\binom{n}{K} = O(n^K)$ of them, a polynomial).^b
- Are INDEPENDENT SET and NODE COVER NP-complete if K is a linear function of n ?
 - INDEPENDENT SET with $K = n/3$ and NODE COVER with $K = 2n/3$ remain NP-complete by our reductions.


^aContributed by Mr. Ching-Hua Yu (D00921025) on October 30, 2012.

^b $n = |V|$.

CLIQUE

- We are given an undirected graph G and a goal K .
- CLIQUE asks if there is a set C with K nodes such that there is an edge between any two nodes $i, j \in C$.
- Many applications.


CLIQUE (concluded)



CLIQUE Is NP-Complete^a

Corollary 47 *CLIQUE is NP-complete.*

- Let \bar{G} be the **complement** of G , where $[x, y] \in \bar{G}$ if and only if $[x, y] \notin G$.
- I is a clique in $G \Leftrightarrow I$ is an independent set in \bar{G} .




^aKarp (1972).

MIN CUT and MAX CUT

- A **cut** in an undirected graph $G = (V, E)$ is a partition of the nodes into two nonempty sets S and $V - S$.
- The size of a cut $(S, V - S)$ is the number of edges between S and $V - S$.
- MIN CUT asks for the minimum cut size.
- MIN CUT $\in \mathbf{P}$ by the maxflow algorithm.^a
- MAX CUT asks if there is a cut of size at least K .
 - K is part of the input.

^aFord & Fulkerson (1962); Orlin (2012) improves the running time to $O(|V| \cdot |E|)$.

A Cut of Size 4



MIN CUT and MAX CUT (concluded)

- MAX CUT has applications in circuit layout.
 - The minimum area of a VLSI layout of a graph is not less than the square of its maximum cut size.^a

^aRaspaud, Sýkora, & Vrřo (1995); Mak & Wong (2000).


MAX CUT Is NP-Complete^a

- We will reduce NAESAT to MAX CUT.
- Given a 3SAT formula ϕ with m clauses, we shall construct a graph $G = (V, E)$ and a goal K .
- Furthermore, there is a cut of size at least K if and only if ϕ is NAE-satisfiable.
- Our graph will have *multiple* edges between two nodes.
 - Each such edge contributes one to the cut if its nodes are separated.

^aKarp (1972); Garey, Johnson, & Stockmeyer (1976). MAX CUT remains NP-complete even for graphs with maximum degree 3 (Makedon, Papadimitriou, & Sudborough, 1985).

The Proof

- Suppose ϕ 's m clauses are C_1, C_2, \dots, C_m .
- The boolean variables are x_1, x_2, \dots, x_n .
- G has $2n$ nodes: $x_1, x_2, \dots, x_n, \neg x_1, \neg x_2, \dots, \neg x_n$.
- Each clause with 3 distinct literals makes a triangle in G .
- For each clause with two identical literals, there are two parallel edges between the two distinct literals.
 - Call it a degenerate triangle.



The Proof (continued)

- No need to consider clauses with one literal (why?).
- No need to consider clauses containing two opposite literals x_i and $\neg x_i$ (why?).
- For each variable x_i , add n_i copies of edge $[x_i, \neg x_i]$, where n_i is the number of occurrences of x_i and $\neg x_i$ in ϕ .


- Note that

$$\sum_{i=1}^n n_i = 3m.$$

- The summation is simply the total number of literals.

The Proof (continued)

- Set $K = 5m$.
- Suppose there is a cut $(S, V - S)$ of size $5m$ or more.
- A clause (a triangle, i.e.) contributes at most 2 to a cut no matter how you split it.
- Suppose some x_i and $\neg x_i$ are on the *same* side of the cut.
- They *together* contribute at most $2n_i$ edges to the cut.
 - They appear in at most n_i different *clauses*.
 - A clause contributes at most 2 to a cut.




The Proof (continued)

- Either x_i or $\neg x_i$ contributes at most n_i to the cut by the pigeonhole principle.
- Changing the side of that literal does *not decrease* the size of the cut.
- Hence we assume variables are separated from their negations.
- The total number of edges in the cut that join opposite literals x_i and $\neg x_i$ is $\sum_{i=1}^n n_i$.
- But we knew $\sum_{i=1}^n n_i = 3m$.

The Proof (concluded)


- The *remaining* $K - 3m \geq 2m$ edges in the cut must come from the m triangles that correspond to clauses.
- Each can contribute at most 2 to the cut.
- So all are split.
- A split clause means at least one of its literals is true and at least one false.
- The other direction is left as an exercise.

This Cut Does Not Meet the Goal $K = 5 \times 3 = 15$



- $(x_1 \vee x_2 \vee x_2) \wedge (x_1 \vee \neg x_3 \vee \neg x_3) \wedge (\neg x_1 \vee \neg x_2 \vee x_3)$.
- The cut size is $13 < 15$.

This Cut Meets the Goal $K = 5 \times 3 = 15$



- $(x_1 \vee x_2 \vee x_2) \wedge (x_1 \vee \neg x_3 \vee \neg x_3) \wedge (\neg x_1 \vee \neg x_2 \vee x_3)$.
- The cut size is now 15.

Remarks

- We had proved that MAX CUT is NP-complete for multigraphs.
- How about proving the same thing for simple graphs?^a
- How to modify the proof to reduce 4SAT to MAX CUT?^b
- All NP-complete problems are mutually reducible by definition.^c
 - So they are equally hard in this sense.^d

^aContributed by Mr. Tai-Dai Chou (J93922005) on June 2, 2005.

^bContributed by Mr. Chien-Lin Chen (J94922015) on June 8, 2006.

^cContributed by Mr. Ren-Shuo Liu (D98922016) on October 27, 2009.

^dContributed by Mr. Ren-Shuo Liu (D98922016) on October 27, 2009.

MAX BISECTION


- MAX CUT becomes MAX BISECTION if we require that $|S| = |V - S|$.
- It has many applications, especially in VLSI layout.

MAX BISECTION Is NP-Complete

- We shall reduce the more general MAX CUT to MAX BISECTION.
- Add $|V| = n$ **isolated nodes** to G to yield G' .
- G' has $2n$ nodes.
- G' 's goal K is identical to G 's
 - As the new nodes have no edges, they contribute 0 to the cut.
- This completes the reduction.

The Proof (concluded)

- A cut $(S, V - S)$ can be made into a bisection by allocating the new nodes between S and $V - S$.
- Hence each cut of G can be made a cut of G' of the same size, and vice versa.



BISECTION WIDTH

- BISECTION WIDTH is like MAX BISECTION except that it asks if there is a bisection of size *at most* K (sort of MIN BISECTION).
- Unlike MIN CUT, BISECTION WIDTH is NP-complete.
- We reduce MAX BISECTION to BISECTION WIDTH.
- Given a graph $G = (V, E)$, where $|V|$ is even, we generate the complement^a of G .
- Given a goal of K , we generate a goal of $n^2 - K$.^b

^aRecall p. 387.

^b $|V| = 2n$.

The Proof (concluded)

- To show the reduction works, simply notice the following easily verifiable claims.
 - A graph $G = (V, E)$, where $|V| = 2n$, has a bisection of size K if and only if the complement of G has a bisection of size $n^2 - K$.
 - So G has a bisection of size $\geq K$ if and only if its complement has a bisection of size $\leq n^2 - K$.

HAMILTONIAN PATH Is NP-Complete^a

Theorem 48 *Given an undirected graph, the question whether it has a Hamiltonian path is NP-complete.*

^aKarp (1972).

A Hamiltonian Path at IKEA, Covina, California?



Random HAMILTONIAN CYCLE

- Consider a random graph where each pair of nodes are connected by an edge independently with probability $1/2$.
- Then it contains a Hamiltonian cycle with probability $1 - o(1)$.^a

^aFrieze & Reed (1998).

TSP (D) Is NP-Complete


Corollary 49 TSP (D) *is NP-complete.*

- We will reduce HAMILTONIAN PATH to TSP (D).
- Consider a graph G with n nodes.
- Create a weighted complete graph G' with the same nodes as G .
- Set $d_{ij} = 1$ on G' if $[i, j] \in G$ and $d_{ij} = 2$ on G' if $[i, j] \notin G$.
 - Note that G' is a complete graph.
- Set the budget $B = n + 1$.
- This completes the reduction.

TSP (D) Is NP-Complete (continued)

- Suppose G' has a tour of distance at most $n + 1$.^a
- Then that tour on G' must contain at most one edge with weight 2.
- If a tour on G' contains one edge with weight 2, remove that edge to arrive at a Hamiltonian path for G .
- Suppose a tour on G' contains no edge with weight 2.
- Remove any edge to arrive at a Hamiltonian path for G .

^aA tour is a cycle, not a path.



TSP (D) Is NP-Complete (concluded)

- On the other hand, suppose G has a Hamiltonian path.
- There is a tour on G' containing at most one edge with weight 2.
 - Start with a Hamiltonian path.
 - Insert the edge connecting the beginning and ending nodes to yield a tour.
- The total cost is then at most $(n - 1) + 2 = n + 1 = B$.
- We conclude that there is a tour of length B or less on G' if and only if G has a Hamiltonian path.

Random TSP

- Suppose each distance d_{ij} is picked uniformly and independently from the interval $[0, 1]$.
- Then the total distance of the shortest tour has a mean value of $\beta\sqrt{n}$ for some positive β .^a
- In fact, the total distance of the shortest tour deviates from the mean by more than t with probability at most $e^{-t^2/(4n)}$.^b

^aBeardwood, Halton, & Hammersley (1959).

^bRhee & Talagrand (1987); Dubhashi & Panconesi (2012).

Graph Coloring

- k -COLORING: Can the nodes of a graph be colored with $\leq k$ colors such that no two adjacent nodes have the same color?^a
- 2-COLORING is in P (why?).
- But 3-COLORING is NP-complete (see next page).
- k -COLORING is NP-complete for $k \geq 3$ (why?).
- EXACT- k -COLORING asks if the nodes of a graph can be colored using *exactly* k colors.
- It remains NP-complete for $k \geq 3$ (why?).

^a k is *not* part of the input; k is part of the problem statement.

3-COLORING Is NP-Complete^a

- We will reduce NAESAT to 3-COLORING.
- We are given a set of clauses C_1, C_2, \dots, C_m each with 3 literals.
- The boolean variables are x_1, x_2, \dots, x_n .
- We now construct a graph that can be colored with colors $\{0, 1, 2\}$ if and only if all the clauses can be NAE-satisfied.

^aKarp (1972).

The Proof (continued)


- Every variable x_i is involved in a triangle $[a, x_i, \neg x_i]$ with a common node a .
- Each clause $C_i = (c_{i1} \vee c_{i2} \vee c_{i3})$ is also represented by a triangle

$$[c_{i1}, c_{i2}, c_{i3}].$$

- Node c_{ij} and a node in an a -triangle $[a, x_k, \neg x_k]$ with the same label represent *distinct* nodes.
- There is an edge between literal c_{ij} in the a -triangle and the node representing the j th literal of C_i .^a

^aAlternative proof: There is an edge between $\neg c_{ij}$ and the node that represents the j th literal of C_i . Contributed by Mr. Ren-Shuo Liu (D98922016) on October 27, 2009.

Construction for $\cdots \wedge (x_1 \vee \neg x_2 \vee \neg x_3) \wedge \cdots$



The Proof (continued)

Suppose the graph is 3-colorable.

- Assume without loss of generality that node a takes the color 2.
- A triangle must use up all 3 colors.
- As a result, one of x_i and $\neg x_i$ must take the color 0 and the other 1.

The Proof (continued)

- Treat 1 as **true** and 0 as **false**.^a
 - We are dealing with the a -triangles here, not the clause triangles yet.
- The resulting truth assignment is clearly contradiction free.
- As each clause triangle contains one color 1 and one color 0, the clauses are NAE-satisfied.
 - Here, treat 0 as **true** and 1 as **false**.

^aThe opposite also works.

The Proof (continued)

Suppose the clauses are NAE-satisfiable.

- Color node a with color 2.
- Color the nodes representing literals by their truth values (color 0 for **false** and color 1 for **true**).
 - We are dealing with the a -triangles here, not the clause triangles.

The Proof (continued)

- For each clause triangle:
 - Pick any two literals with opposite truth values.^a
 - Color the corresponding nodes with 0 if the literal is true and 1 if it is false.
 - Color the remaining node with color 2.

^aBreak ties arbitrarily.

The Proof (concluded)

- The coloring is legitimate.
 - If literal w of a clause triangle has color 2, then its color will never be an issue.
 - If literal w of a clause triangle has color 1, then it must be connected up to literal w with color 0.
 - If literal w of a clause triangle has color 0, then it must be connected up to literal w with color 1.

More on 3-COLORING and the Chromatic Number

- 3-COLORING remains NP-complete for planar graphs.^a
- Assume G is 3-colorable.
- There is a classic algorithm that finds a 3-coloring in time $O(3^{n/3}) = 1.4422^n$.^b
- It can be improved to $O(1.3289^n)$.^c

^aGarey, Johnson, & Stockmeyer (1976); Dailey (1980).

^bLawler (1976).

^cBeigel & Eppstein (2000).

More on 3-COLORING and the Chromatic Number (concluded)

- The **chromatic number** $\chi(G)$ is the smallest number of colors needed to color a graph G .
- There is an algorithm to find $\chi(G)$ in time $O((4/3)^{n/3}) = 2.4422^n$.^a
- It can be improved to $O((4/3 + 3^{4/3}/4)^n) = O(2.4150^n)$ ^b and $2^n n^{O(1)}$.^c
- Computing $\chi(G)$ cannot be easier than 3-COLORING.^d

^aLawler (1976).

^bEppstein (2003).

^cKoivisto (2006).

^dContributed by Mr. Ching-Hua Yu (D00921025) on October 30, 2012.

TRIPARTITE MATCHING^a (3DM)


- We are given three sets B , G , and H , each containing n elements.
- Let $T \subseteq B \times G \times H$ be a ternary relation.
- TRIPARTITE MATCHING asks if there is a set of n triples in T , none of which has a component in common.
 - Each element in B is matched to a different element in G and different element in H .

Theorem 50 (Karp, 1972) TRIPARTITE MATCHING *is NP-complete.*


^aPrincess Diana (November 20, 1995), “There were three of us in this marriage, so it was a bit crowded.”

Related Problems

- We are given a family $F = \{ S_1, S_2, \dots, S_n \}$ of subsets of a finite set U and a budget B .
- SET COVERING asks if there exists a set of B sets in F whose union is U .
- SET PACKING asks if there are B *disjoint* sets in F .
- EXACT COVER asks if there are disjoint sets in F whose union is U .
- Assume $|U| = 3m$ for some $m \in \mathbb{N}$ and $|S_i| = 3$ for all i .
- EXACT COVER BY 3-SETS (X3C) asks if there are m sets in F that are disjoint (so have U as their union).



SET COVERING



SET PACKING

Related Problems (concluded)

Corollary 51 (Karp, 1972) SET COVERING, SET PACKING, EXACT COVER, *and* X3C *are all NP-complete.*

- Does SET COVERING remain NP-complete when $|S_i| = 3$?^a
- SET COVERING is used to prove that the influence maximization problem in social networks is NP-complete.^b

^aContributed by Mr. Kai-Yuan Hou (B99201038, R03922014) on September 22, 2015.

^bKempe, Kleinberg, & Tardos (2003).