


Known Dividends

- Constant dividends introduce complications.
- Use D to denote the amount of the dividend.
- Suppose an ex-dividend date falls in the first period.
- At the end of that period, the possible stock prices are $S_u - D$ and $S_d - D$.
- Follow the stock price one more period.
- The number of possible stock prices is not three but four: $(S_u - D)u$, $(S_u - D)d$, $(S_d - D)u$, $(S_d - D)d$.
 - The binomial tree no longer combines.



An Ad-Hoc Approximation


- Use the Black-Scholes formula with the stock price reduced by the PV of the dividends.^a
- This essentially decomposes the stock price into a riskless one paying known dividends and a risky one.
- The riskless component at any time is the PV of future dividends during the life of the option.
 - Then, σ is the volatility of the process followed by the *risky* component.
- The stock price, between two adjacent ex-dividend dates, follows the same lognormal distribution.

^aRoll (1977).


An Ad-Hoc Approximation (concluded)

- Start with the current stock price minus the PV of future dividends before expiration.
- Develop the binomial tree for the new stock price as if there were no dividends.
- Then add to each stock price on the tree the PV of all *future* dividends before expiration.
- American option prices can be computed as before on this tree of stock prices.

The Ad-Hoc Approximation vs. P. 304 (Step 1)



The Ad-Hoc Approximation vs. P. 304 (Step 2)



The Ad-Hoc Approximation vs. P. 304^a

- The trees are different.
- The stock prices at maturity are also different.
 - $(Su - D)u, (Su - D)d, (Sd - D)u, (Sd - D)d$
(p. 304).
 - $(S - D/R)u^2, (S - D/R)ud, (S - D/R)d^2$ (ad hoc).
- Note that, as $d < R < u$,

$$\begin{aligned}(Su - D)u &> (S - D/R)u^2, \\ (Sd - D)d &< (S - D/R)d^2,\end{aligned}$$

^aContributed by Mr. Yang, Jui-Chung (D97723002) on March 18, 2009.

The Ad-Hoc Approximation vs. P. 304 (concluded)

- So the ad hoc approximation has a smaller dynamic range.
- This explains why in practice the volatility is usually increased when using the ad hoc approximation.

A General Approach^a

- A new tree structure.
- No approximation assumptions are made.
- A mathematical proof that the tree can always be constructed.
- The actual performance is quadratic except in pathological cases (see pp. 722ff).
- Other approaches include adjusting σ and approximating the known dividend with a dividend yield.^b

^aDai (B82506025, R86526008, D8852600) & Lyuu (2004). Also Arealy & Rodrigues (2013).

^bGeske & Shastri (1985). It works well for American options but not European options (Dai, 2009).

Continuous Dividend Yields

- Dividends are paid continuously.
 - Approximates a broad-based stock market portfolio.
- The payment of a continuous dividend yield at rate q reduces the growth rate of the stock price by q .
 - A stock that grows from S to S_τ with a continuous dividend yield of q would grow from S to $S_\tau e^{q\tau}$ without the dividends.
- A European option has the same value as one on a stock with price $Se^{-q\tau}$ that pays *no* dividends.^a

^aIn pricing European options, only the distribution of S_τ matters.

Continuous Dividend Yields (continued)

- So the Black-Scholes formulas hold with S replaced by $Se^{-q\tau}$:^a

$$C = Se^{-q\tau} N(x) - Xe^{-r\tau} N(x - \sigma\sqrt{\tau}), \quad (39)$$

$$P = Xe^{-r\tau} N(-x + \sigma\sqrt{\tau}) - Se^{-q\tau} N(-x), \quad (39')$$

where

$$x \equiv \frac{\ln(S/X) + (r - q + \sigma^2/2) \tau}{\sigma\sqrt{\tau}}.$$

- Formulas (39) and (39') remain valid as long as the dividend yield is predictable.

^aMerton (1973).

Continuous Dividend Yields (continued)

- To run binomial tree algorithms, replace u with $ue^{-q\Delta t}$ and d with $de^{-q\Delta t}$, where $\Delta t \equiv \tau/n$.
 - The reason: The stock price grows at an expected rate of $r - q$ in a risk-neutral economy.
- Other than the changes, binomial tree algorithms stay the same.
 - In particular, p should use the *original* u and d !^a

^aContributed by Ms. Wang, Chuan-Ju (F95922018) on May 2, 2007.

Continuous Dividend Yields (concluded)

- Alternatively, pick the risk-neutral probability as

$$\frac{e^{(r-q) \Delta t} - d}{u - d}, \quad (40)$$


where $\Delta t \equiv \tau/n$.

- The reason: The stock price grows at an expected rate of $r - q$ in a risk-neutral economy.
- The u and d remain unchanged.
- Other than the change in Eq. (40), binomial tree algorithms stay the same *as if there were no dividends*.

Exercise Boundaries of American Options^a

- The exercise boundary is a nondecreasing function of t for American puts (see the plot next page).
- The exercise boundary is a nonincreasing function of t for American calls.

^aSee Exercise 15.2.7 of the textbook.



Risk Reversals^a

- From formulas (39) and (39') on p. 313, one can verify that $C = P$ when

$$X = Se^{(r-q)\tau}.$$

- A risk reversal consists of a short out-of-the-money put and a long out-of-the-money call with the same maturity.^b
- Furthermore, the portfolio has zero value.
- A short risk reversal position is also called a collar.^c

^aNeftci (2008).

^bThus their strike prices must be distinct.

^cBennett (2014).

Sensitivity Analysis of Options

Cleopatra's nose, had it been shorter,
the whole face of the world
would have been changed.
— Blaise Pascal (1623–1662)

Sensitivity Measures (“The Greeks”)

- How the value of a security changes relative to changes in a given parameter is key to hedging.
 - Duration, for instance.
- Let $x \equiv \frac{\ln(S/X) + (r + \sigma^2/2) \tau}{\sigma \sqrt{\tau}}$ (recall p. 285).
- Recall that

$$N'(y) = \frac{e^{-y^2/2}}{\sqrt{2\pi}} > 0,$$

the density function of standard normal distribution.

Delta

- Defined as

$$\Delta \equiv \frac{\partial f}{\partial S}.$$

- f is the price of the derivative.
- S is the price of the underlying asset.
- The delta of a portfolio of derivatives on the same underlying asset is the sum of their individual deltas.^a
- The delta used in the BOPM (p. 230) is the discrete analog.
- The delta of a long stock is apparently 1.

^aElementary calculus.

Delta (continued)

- The delta of a European call on a non-dividend-paying stock equals

$$\frac{\partial C}{\partial S} = N(x) > 0.$$





- The delta of a European put equals

$$\frac{\partial P}{\partial S} = N(x) - 1 = -N(-x) < 0.$$

- So the deltas of a call and an otherwise identical put cancel each other when $N(x) = 1/2$, i.e., when^a

$$X = Se^{(r+\sigma^2/2)\tau}. \quad (41)$$

^aThe straddle (p. 195) $C + P$ then has zero delta!



Dotted curve: in-the-money call or out-of-the-money put.

Solid curves: at-the-money options.

Dashed curves: out-of-the-money calls or in-the-money puts.

Delta (continued)

- Suppose the stock pays a continuous dividend yield of q .
- Let

$$x \equiv \frac{\ln(S/X) + (r - q + \sigma^2/2) \tau}{\sigma \sqrt{\tau}} \quad (42)$$

(recall p. 313).

- Then

$$\begin{aligned} \frac{\partial C}{\partial S} &= e^{-q\tau} N(x) > 0, \\ \frac{\partial P}{\partial S} &= -e^{-q\tau} N(-x) < 0. \end{aligned}$$

Delta (continued)

- Consider an X_1 -strike call and an X_2 -strike put, $X_1 \geq X_2$.
- They are otherwise identical.
- Let

$$x_i \equiv \frac{\ln(S/X_i) + (r - q + \sigma^2/2) \tau}{\sigma \sqrt{\tau}}. \quad (43)$$

- Then their deltas sum to zero when $x_1 = -x_2$.^a
- That implies

$$\frac{S}{X_1} = \frac{X_2}{S} e^{-(2r-2q+\sigma^2) \tau}. \quad (44)$$

^aThe strangle (p. 197) $C + P$ then has zero delta!

Delta (continued)

- Suppose we demand $X_1 = X_2 = X$ and have a straddle.
- Then

$$X = S e^{(r-q+\sigma^2/2)\tau}$$

leads to a straddle with zero delta.

- This generalizes Eq. (41) on p. 323.
- When $C(X_1)$'s delta and $P(X_2)$'s delta sum to zero, does the portfolio $C(X_1) - P(X_2)$ have zero value?

Delta (concluded)

- This portfolio $C(X_1) - P(X_2)$ has value

$$\begin{aligned} & Se^{-q\tau} N(x_1) - X_1 e^{-r\tau} N(x_1 - \sigma\sqrt{\tau}) \\ & - X_2 e^{-r\tau} N(-x_2 + \sigma\sqrt{\tau}) + Se^{-q\tau} N(-x_2) \\ = & 2Se^{-q\tau} N(x_1) - X_1 e^{-r\tau} N(x_1 - \sigma\sqrt{\tau}) - X_2 e^{-r\tau} N(x_1 + \sigma\sqrt{\tau}) \\ = & 2Se^{-q\tau} N(x_1) - X_1 e^{-r\tau} N(x_1 - \sigma\sqrt{\tau}) \\ & - \frac{S^2}{X_1} e^{(r-2q+\sigma^2)\tau} N(x_1 + \sigma\sqrt{\tau}). \end{aligned}$$

- This is not identically zero so not a risk reversal (p. 318).
- E.g., with $r = q = 0$ and τ large, it is about $2S - (S^2/X_1) e^{\sigma^2\tau} = 2S - X_2$.

Delta Neutrality

- A position with a total delta equal to 0 is delta-neutral.
 - A delta-neutral portfolio is immune to *small* price changes in the underlying asset.
- Creating one serves for hedging purposes.
 - A portfolio consisting of a call and $-\Delta$ shares of stock is delta-neutral.
 - Short Δ shares of stock to hedge a long call.
 - Long Δ shares of stock to hedge a short call.
- In general, hedge a position in a security with delta Δ_1 by shorting Δ_1/Δ_2 units of a security with delta Δ_2 .

Theta (Time Decay)

- Defined as the rate of change of a security's value with respect to time, or $\Theta \equiv -\partial f / \partial \tau = \partial f / \partial t$.
- For a European call on a non-dividend-paying stock,





$$\Theta = -\frac{SN'(x)\sigma}{2\sqrt{\tau}} - rXe^{-r\tau}N(x - \sigma\sqrt{\tau}) < 0.$$

– The call loses value with the passage of time.

- For a European put,

$$\Theta = -\frac{SN'(x)\sigma}{2\sqrt{\tau}} + rXe^{-r\tau}N(-x + \sigma\sqrt{\tau}).$$

– Can be negative or positive.





Dotted curve: in-the-money call or out-of-the-money put.
 Solid curves: at-the-money options.
 Dashed curve: out-of-the-money call or in-the-money put.

Gamma

- Defined as the rate of change of its delta with respect to the price of the underlying asset, or $\Gamma \equiv \partial^2 \Pi / \partial S^2$.
- Measures how sensitive delta is to changes in the price of the underlying asset.
- In practice, a portfolio with a high gamma needs be rebalanced more often to maintain delta neutrality.
- Roughly, delta \sim duration, and gamma \sim convexity.
- The gamma of a European call or put on a non-dividend-paying stock is

$$N'(x)/(S\sigma\sqrt{\tau}) > 0.$$



Dotted lines: in-the-money call or out-of-the-money put.

Solid lines: at-the-money option.

Dashed lines: out-of-the-money call or in-the-money put.

Vega^a (Lambda, Kappa, Sigma)

- Defined as the rate of change of a security's value with respect to the volatility of the underlying asset

$$\Lambda \equiv \frac{\partial f}{\partial \sigma}.$$

- Volatility often changes over time.
- A security with a high vega is very sensitive to small changes or estimation error in volatility.
- The vega of a European call or put on a non-dividend-paying stock is $S\sqrt{\tau} N'(x) > 0$.
 - So higher volatility always increases the option value.

^aVega is not Greek.

Vega (continued)

- If the stock pays a continuous dividend yield of q , then

$$\Lambda = S e^{-q\tau} \sqrt{\tau} N'(x),$$

where x is defined in Eq. (42) on p. 325.

- Vega is maximized when $x = 0$, i.e., when

$$S = X e^{-(r-q+\sigma^2/2)\tau}.$$

- Vega declines very fast as S moves away from that peak.

Vega (continued)

- Now consider a portfolio consisting of an X_1 -strike call C and a short X_2 -strike put P , $X_1 \geq X_2$.
- The options' vegas cancel out when

$$x_1 = -x_2,$$

where x_i are defined in Eq. (43) on p. 326.

- This leads to Eq. (44) on p. 326.
 - The same condition leads to zero delta for the strangle $C + P$ (p. 326).

Vega (concluded)

- Note that if $S \neq X$, $\tau \rightarrow 0$ implies

$$\Lambda \rightarrow 0$$



(which answers the question on p. 290 for the Black-Scholes model).

- The Black-Scholes formula (p. 285) implies

$$\begin{aligned} C &\rightarrow S, \\ P &\rightarrow Xe^{-r\tau}, \end{aligned}$$

as $\sigma \rightarrow \infty$.

- These boundary conditions may be handy for certain numerical methods.



Dotted curve: in-the-money call or out-of-the-money put.

Solid curves: at-the-money option.

Dashed curve: out-of-the-money call or in-the-money put.

Variance Vega^a

- Defined as the rate of change of a security's value with respect to the variance (square of volatility) of the underlying asset

$$V \equiv \frac{\partial f}{\partial \sigma^2}.$$

- It is easy to verify that

$$V = \frac{\Lambda}{2\sigma}.$$

^aDemeterfi, Derman, Kamal, & Zou (1999).

Rho

- Defined as the rate of change in its value with respect to interest rates





$$\rho \equiv \frac{\partial f}{\partial r}.$$

- The rho of a European call on a non-dividend-paying stock is

$$X\tau e^{-r\tau} N(x - \sigma\sqrt{\tau}) > 0.$$

- The rho of a European put on a non-dividend-paying stock is

$$-X\tau e^{-r\tau} N(-x + \sigma\sqrt{\tau}) < 0.$$



Dotted curves: in-the-money call or out-of-the-money put.

Solid curves: at-the-money option.

Dashed curves: out-of-the-money call or in-the-money put.

Numerical Greeks

- Needed when closed-form formulas do not exist.
- Take delta as an example.
- A standard method computes the finite difference,

$$\frac{f(S + \Delta S) - f(S - \Delta S)}{2\Delta S}.$$

- The computation time roughly doubles that for evaluating the derivative security itself.


An Alternative Numerical Delta^a

- Use intermediate results of the binomial tree algorithm.
- When the algorithm reaches the end of the first period, f_u and f_d are computed.
- These values correspond to derivative values at stock prices Su and Sd , respectively.
- Delta is approximated by

$$\frac{f_u - f_d}{Su - Sd}.$$

- Almost zero extra computational effort.

^aPelsser & Vorst (1994).



Numerical Gamma

- At the stock price $(S_{uu} + S_{ud})/2$, delta is approximately $(f_{uu} - f_{ud})/(S_{uu} - S_{ud})$.
- At the stock price $(S_{ud} + S_{dd})/2$, delta is approximately $(f_{ud} - f_{dd})/(S_{ud} - S_{dd})$.
- Gamma is the rate of change in deltas between $(S_{uu} + S_{ud})/2$ and $(S_{ud} + S_{dd})/2$, that is,

$$\frac{\frac{f_{uu} - f_{ud}}{S_{uu} - S_{ud}} - \frac{f_{ud} - f_{dd}}{S_{ud} - S_{dd}}}{(S_{uu} - S_{dd})/2}. \quad (45)$$

- Alternative formulas exist (p. 628).

Finite Difference Fails for Numerical Gamma

- Numerical differentiation gives

$$\frac{f(S + \Delta S) - 2f(S) + f(S - \Delta S)}{(\Delta S)^2}.$$

- It does not work (see text for the reason).
- In general, calculating gamma is a hard problem numerically.
- But why did the binomial tree version work?

Other Numerical Greeks

- The theta can be computed as

$$\frac{f_{ud} - f}{2(\tau/n)}.$$

- In fact, the theta of a European option can be derived from delta and gamma (p. 627).
- For vega and rho, there seems no alternative but to run the binomial tree algorithm twice.^a

^aBut see pp. 974ff.

Extensions of Options Theory

As I never learnt mathematics,
so I have had to think.
— Joan Robinson (1903–1983)

Pricing Corporate Securities^a

- Interpret the underlying asset as the total value of the firm.
- The option pricing methodology can be applied to pricing corporate securities.
 - The result is called the structural model.
- Assumptions:
 - A firm can finance payouts by the sale of assets.
 - If a promised payment to an obligation other than stock is missed, the claim holders take ownership of the firm and the stockholders get nothing.

^aBlack & Scholes (1973); Merton (1974).

Risky Zero-Coupon Bonds and Stock

- Consider XYZ.com.
- Capital structure:
 - n shares of its own common stock, S .
 - Zero-coupon bonds with an aggregate par value of X .
- What is the value of the bonds, B ?
- What is the value of the XYZ.com stock?

Risky Zero-Coupon Bonds and Stock (continued)

- On the bonds' maturity date, suppose the total value of the firm V^* is less than the bondholders' claim X .
- Then the firm declares bankruptcy, and the stock becomes worthless.
- If $V^* > X$, then the bondholders obtain X and the stockholders $V^* - X$.

| | $V^* \leq X$ | $V^* > X$ |
|-------|--------------|-----------|
| Bonds | V^* | X |
| Stock | 0 | $V^* - X$ |

Risky Zero-Coupon Bonds and Stock (continued)

- The stock has the same payoff as a call!
- It is a call on the total value of the firm with a strike price of X and an expiration date equal to the bonds'.
 - This call provides the limited liability for the stockholders.
- The bonds are a covered call^a on the total value of the firm.
- Let V stand for the total value of the firm.
- Let C stand for a call on V .

^aSee p. 186.

Risky Zero-Coupon Bonds and Stock (continued)

- Thus

$$\begin{aligned}nS &= C, \\ B &= V - C.\end{aligned}$$

- Knowing C amounts to knowing how the value of the firm is divided between stockholders and bondholders.
- Whatever the value of C , the total value of the stock and bonds at maturity remains V^* .
- The relative size of debt and equity is irrelevant to the firm's current value V .

Risky Zero-Coupon Bonds and Stock (continued)

- From Theorem 12 (p. 285) and the put-call parity,^a

$$nS = VN(x) - Xe^{-r\tau}N(x - \sigma\sqrt{\tau}), \quad (46)$$

$$B = VN(-x) + Xe^{-r\tau}N(x - \sigma\sqrt{\tau}). \quad (47)$$

– Above,

$$x \equiv \frac{\ln(V/X) + (r + \sigma^2/2)\tau}{\sigma\sqrt{\tau}}.$$

- The continuously compounded yield to maturity of the firm's bond is

$$\frac{\ln(X/B)}{\tau}.$$

^aMerton (1974).

Risky Zero-Coupon Bonds and Stock (continued)

- Define the credit spread or default premium as the yield difference between risky and riskless bonds,

$$\begin{aligned} & \frac{\ln(X/B)}{\tau} - r \\ &= -\frac{1}{\tau} \ln \left(N(-z) + \frac{1}{\omega} N(z - \sigma\sqrt{\tau}) \right). \end{aligned}$$

- $\omega \equiv Xe^{-r\tau}/V$.
- $z \equiv (\ln \omega)/(\sigma\sqrt{\tau}) + (1/2)\sigma\sqrt{\tau} = -x + \sigma\sqrt{\tau}$.
- Note that ω is the debt-to-total-value ratio.

Risky Zero-Coupon Bonds and Stock (concluded)

- In general, suppose the firm has a dividend yield at rate q and the bankruptcy costs are a constant proportion α of the remaining firm value.
- Then Eqs. (46)–(47) on p. 355 become, respectively,

$$nS = Ve^{-q\tau}N(x) - Xe^{-r\tau}N(x - \sigma\sqrt{\tau}),$$

$$B = (1 - \alpha)Ve^{-q\tau}N(-x) + Xe^{-r\tau}N(x - \sigma\sqrt{\tau}).$$

– Above,

$$x \equiv \frac{\ln(V/X) + (r - q + \sigma^2/2)\tau}{\sigma\sqrt{\tau}}.$$

A Numerical Example

- XYZ.com's assets consist of 1,000 shares of Merck as of March 20, 1995.
 - Merck's market value per share is \$44.5.
- XYZ.com's securities consist of 1,000 shares of common stock and 30 zero-coupon bonds maturing on July 21, 1995.
- Each bond promises to pay \$1,000 at maturity.
- $n = 1,000$, $V = 44.5 \times n = 44,500$, and $X = 30 \times 1,000 = 30,000$.

| Option | Strike | Exp. | —Call— | | —Put— | |
|--------------|--------|------|--------|--------|-------|-------|
| | | | Vol. | Last | Vol. | Last |
| Merck | 30 | Jul | 328 | 15 1/4 | ... | ... |
| 44 1/2 | 35 | Jul | 150 | 9 1/2 | 10 | 1/16 |
| 44 1/2 | 40 | Apr | 887 | 43/4 | 136 | 1/16 |
| 44 1/2 | 40 | Jul | 220 | 5 1/2 | 297 | 1/4 |
| 44 1/2 | 40 | Oct | 58 | 6 | 10 | 1/2 |
| 44 1/2 | 45 | Apr | 3050 | 7/8 | 100 | 11/8 |
| 44 1/2 | 45 | May | 462 | 13/8 | 50 | 13/8 |
| 44 1/2 | 45 | Jul | 883 | 115/16 | 147 | 13/4 |
| 44 1/2 | 45 | Oct | 367 | 23/4 | 188 | 21/16 |

A Numerical Example (continued)

- The Merck option relevant for pricing is the July call with a strike price of $X/n = 30$ dollars.
- Such a call is selling for \$15.25.
- So XYZ.com's stock is worth $15.25 \times n = 15,250$ dollars.
- The entire bond issue is worth

$$B = 44,500 - 15,250 = 29,250$$

dollars.

– Or \$975 per bond.

A Numerical Example (continued)

- The XYZ.com bonds are equivalent to a default-free zero-coupon bond with $\$X$ par value plus n written European puts on Merck at a strike price of \$30.
 - By the put-call parity.^a
- The difference between B and the price of the default-free bond is the value of these puts.
- The next table shows the total market values of the XYZ.com stock and bonds under various debt amounts X .

^aSee p. 209.

| Promised payment to bondholders | Current market value of bonds | Current market value of stock | Current total value of firm |
|------------------------------------|----------------------------------|----------------------------------|--------------------------------|
| X | B | nS | V |
| 30,000 | 29,250.0 | 15,250.0 | 44,500 |
| 35,000 | 35,000.0 | 9,500.0 | 44,500 |
| 40,000 | 39,000.0 | 5,500.0 | 44,500 |
| 45,000 | 42,562.5 | 1,937.5 | 44,500 |

A Numerical Example (continued)

- Suppose the promised payment to bondholders is \$45,000.
- Then the relevant option is the July call with a strike price of $45,000/n = 45$ dollars.
- Since that option is selling for $\$15/16$, the market value of the XYZ.com stock is $(1 + 15/16) \times n = 1,937.5$ dollars.
- The market value of the stock decreases as the debt-equity ratio increases.

A Numerical Example (continued)

- There are conflicts between stockholders and bondholders.
- An option's terms cannot be changed after issuance.
- But a firm can change its capital structure.
- There lies one key difference between options and corporate securities.
 - Parameters such volatility, dividend, and strike price are under partial control of the stockholders.

A Numerical Example (continued)

- Suppose XYZ.com issues 15 more bonds with the same terms to buy back stock.
- The total debt is now $X = 45,000$ dollars.
- The table on p. 362 says the total market value of the bonds should be \$42,562.5.
- The *new* bondholders pay

$$42,562.5 \times (15/45) = 14,187.5$$

dollars.

- The remaining stock is worth \$1,937.5.

A Numerical Example (continued)

- The stockholders therefore gain

$$14,187.5 + 1,937.5 - 15,250 = 875$$

dollars.

- The *original* bondholders lose an equal amount,

$$29,250 - \frac{30}{45} \times 42,562.5 = 875.$$

– This is called claim dilution.^a

^aFama & Miller (1972).

A Numerical Example (continued)

- Suppose the stockholders sell $(1/3) \times n$ Merck shares to fund a \$14,833.3 cash dividend.
- They now have \$14,833.3 in cash plus a call on $(2/3) \times n$ Merck shares.
- The strike price remains $X = 30,000$.
- This is equivalent to owning $2/3$ of a call on n Merck shares with a strike price of \$45,000.
- n such calls are worth \$1,937.5 (p. 362).
- So the total market value of the XYZ.com stock is $(2/3) \times 1,937.5 = 1,291.67$ dollars.

A Numerical Example (concluded)

- The market value of the XYZ.com bonds is hence

$$(2/3) \times n \times 44.5 - 1,291.67 = 28,375$$

dollars.

- Hence the stockholders gain

$$14,833.3 + 1,291.67 - 15,250 \approx 875$$

dollars.

- The bondholders watch their value drop from \$29,250 to \$28,375, a loss of \$875.

Further Topics


- Other Examples:
 - Subordinated debts as bull call spreads.
 - Warrants as calls.
 - Callable bonds as American calls with 2 strike prices.
 - Convertible bonds.
- Securities with a complex liability structure must be solved by trees.^a

^aDai (B82506025, R86526008, D8852600), Lyuu, & C. Wang (F95922018) (2010).

Barrier Options^a

- Their payoff depends on whether the underlying asset's price reaches a certain price level H *throughout its life*.
- A knock-out option is an ordinary European option which ceases to exist if the barrier H is reached by the price of its underlying asset.
- A call knock-out option is sometimes called a down-and-out option if $H < S$.
- A put knock-out option is sometimes called an up-and-out option when $H > S$.

^aA former MBA student in finance told me on March 26, 2004, that she did not understand why I covered barrier options until she started working in a bank. She was working for Lehman Brothers in Hong Kong as of April, 2006.



Barrier Options (concluded)

- A knock-in option comes into existence if a certain barrier is reached.
- A down-and-in option is a call knock-in option that comes into existence only when the barrier is reached and $H < S$.
- An up-and-in is a put knock-in option that comes into existence only when the barrier is reached and $H > S$.
- Formulas exist for all the possible barrier options mentioned above.^a

^aHaug (2006).

A Formula for Down-and-In Calls^a

- Assume $X \geq H$.
- The value of a European down-and-in call on a stock paying a dividend yield of q is

$$Se^{-q\tau} \left(\frac{H}{S}\right)^{2\lambda} N(x) - Xe^{-r\tau} \left(\frac{H}{S}\right)^{2\lambda-2} N(x - \sigma\sqrt{\tau}), \quad (48)$$

$$- x \equiv \frac{\ln(H^2/(SX)) + (r - q + \sigma^2/2)\tau}{\sigma\sqrt{\tau}}.$$

$$- \lambda \equiv (r - q + \sigma^2/2)/\sigma^2.$$

- A European down-and-out call can be priced via the in-out parity (see text).

^aMerton (1973). See Exercise 17.1.6 of the textbook for a proof.

A Formula for Up-and-In Puts^a

- Assume $X \leq H$.
- The value of a European up-and-in put is

$$Xe^{-r\tau} \left(\frac{H}{S}\right)^{2\lambda-2} N(-x + \sigma\sqrt{\tau}) - Se^{-q\tau} \left(\frac{H}{S}\right)^{2\lambda} N(-x).$$

- Again, a European up-and-out put can be priced via the in-out parity.

^aMerton (1973).

Are American Options Barrier Options?^a

- American options are barrier options with the exercise boundary as the barrier and the payoff as the rebate?
- One salient difference is that the exercise boundary must be derived during backward induction.
- But the barrier in a barrier option is given a priori.

^aContributed by Mr. Yang, Jui-Chung (D97723002) on March 25, 2009.

Interesting Observations

- Assume $H < X$.
- Replace S in the pricing formula Eq. (39) on p. 313 for the call with H^2/S .
- Equation (48) on p. 373 for the down-and-in call becomes Eq. (39) when $r - q = \sigma^2/2$.
- Equation (48) becomes S/H times Eq. (39) when $r - q = 0$.

Interesting Observations (concluded)


- Replace S in the pricing formula for the down-and-in call, Eq. (48), with H^2/S .
- Equation (48) becomes Eq. (39) when $r - q = \sigma^2/2$.
- Equation (48) becomes H/S times Eq. (39) when $r - q = 0$.^a
- Why?^b

^aContributed by Mr. Chou, Ming-Hsin (R02723073) on April 24, 2014.



^bApply the reflection principle (p. 656), Eq. (38) on p. 278, and Lemma 11 (p. 283).

Binomial Tree Algorithms

- Barrier options can be priced by binomial tree algorithms.
- Below is for the down-and-out option.



- Pricing down-and-in options is subtler.



$S = 8$, $X = 6$, $H = 4$, $R = 1.25$, $u = 2$, and $d = 0.5$.
 Backward-induction: $C = (0.5 \times C_u + 0.5 \times C_d)/1.25$.

Binomial Tree Algorithms (continued)


- But convergence is erratic because H is not at a price level on the tree (see plot on next page).^a
 - The barrier H is moved lower^b to a node price.
 - This “effective barrier” changes as n increases.
- In fact, the binomial tree is $O(1/\sqrt{n})$ convergent.^c
- Solutions will be presented later.

^aBoyle & Lau (1994).

^bHigher is an alternative

^cJ. Lin (R95221010) (2008).

Binomial Tree Algorithms (concluded)^a



^aLyu (1998).