

Theory of Computer Games (Fall 2018) Homework #2

National Taiwan University

Due Date: 14:20 (UTC+8), December 27, 2018


Homework Description

In this homework, you are required to

- 1 Implement an agent of **Einstein Würfelt Nicht! (Kari)** using **Monte-Carlo Tree Search**.
- 2 Beat the **random** AI and the **greedy** AI.

Basics

- The game is played on a 5×5 board. Initially there are 6 red cubes and 6 blue cubes on the board.



- Each cube has a number between 1 and 6, and there are no two cubes of the same color sharing the same number.
 - The 12 numbers are determined randomly, but are guaranteed to be centrosymmetric.
- In each turn the first player chooses a red cube to move, and subsequently (if the game is not over) the second player chooses a blue cube to move.

Moves

- 1 In turn 1, 3, 5, 7, ..., a player is restricted to choose cube 1, 3, 5 to move; in turn 2, 4, 6, 8, ..., a player is restricted to choose cube 2, 4, 6 to move.
- 2 The first player can only move a cube to the **east** adjacent square, the **south** adjacent square, or the **southeast** adjacent square. The second player can only move a cube to the **west** adjacent square, the **north** adjacent square, or the **northwest** adjacent square.
- 3 If there is another cube in the adjacent square, that cube is **captured**. A player is not allowed to capture a cube of himself.
- 4 If there is no movable cube, a player should **pass** in that turn. A player is not allowed pass if there is a movable cube.

Game Over

The game is over when

- 1 a red cube reaches the southeast corner (first player wins), or
- 2 a blue cube reaches the northwest corner (second player wins), or
- 3 the last red cube is captured (second player wins), or
- 4 the last blue cube is captured (first player wins).

This game always yields exactly one winner.

Execution Files

- Under directory `einstein_kari`, use `make` to build the execution files `game`, `greedy`, and `random`.
- Execution file `game` supports AI-AI mode, AI-human (1P) mode, and human-human (2P) mode.

```
Usage: game [-n np agents...] [-r round] [-s seed] [-g] [-l logfile]

np: number of human players (0-2), 2 by default
agents..: the (2-np) AIs
round: number of rounds, 8/∞ when np=0/np≠0 by default, and can only be specified if np=0
seed: random seed for the random part, std::random_device{}() by default
-g: enable the GUI; can only be specified if np=0
logfile: the file to record the game
```

- To begin with, use
`$./game -n 1 greedy`
to start the game with the agent `greedy`.

game-Agent Communication

- An agent receives the last move of the opponent from game and sends its move accordingly back.
- We've handled most parts of the communication. All you have to do is receive messages by simply **reading from `stdin`** and send messages by simply **writing to `stdout`**.
- Read everything **character-by-character**; if you expect a message of length k to be received, read one character k times instead of directly reading a string.
- Remember to **flush** every time after writing a message to `stdout`.

Frame of an Agent

```
1: while true do
2:   receive  $R_1$ 
3:   if  $R_1 = \text{"end of game"}$  then
4:     break
5:   end if
6:   receive  $R_2$ 
7:    $B \leftarrow$  the initial board given  $R_2$ 
8:   while true do
9:     if  $R_1 = \text{"second player"}$  or this is not the first turn then
10:      receive  $R_3$ 
11:      if  $R_3 = \text{"win"}$  or  $\text{"lose"}$  then
12:        break
13:      end if
14:      do the opponent's move  $R_3$  on  $B$ 
15:    end if
16:    choose a move  $M$ 
17:    do the move  $M$  on  $B$ 
18:    send  $M$ 
19:  end while
20: end while
```


Formats of Received / Sent Messages

- 1 R_1 : a single character.
 - 'e': end of game
 - 'f': you are the first player in this round
 - 's': you are the second player in this round
- 2 $R_2 := R_2[1 : 6]$: a permutation of "123456".
 - number of (1, 1), (5, 5) = $R_2[1]$
 - number of (1, 2), (5, 4) = $R_2[2]$
 - number of (1, 3), (5, 3) = $R_2[3]$
 - number of (2, 1), (4, 5) = $R_2[4]$
 - number of (2, 2), (4, 4) = $R_2[5]$
 - number of (3, 1), (3, 5) = $R_2[6]$
- 3 R_3 : can be "ww" (win), "ll" (lose), "00" (pass), or nd (otherwise), where
 - n = number of cube to be moved
 - d = direction: 1 (horizontal), 2 (vertical), 3 (diagonal)
- 4 M : a 2-sized string, can be "00" (pass) or nd (otherwise) only.

Misc

- You can assume that every move your agent receives is valid.
- Your agent should send a valid move within **10 seconds**. If game receives an invalid move, or doesn't receive a move within the time limit, your agent will be killed, and your opponent wins immediately.

Code

- You're required to implement the following algorithms:
 - UCB score and UCT
 - Progressive Pruning **or** RAVE
- Your execution file should be named with **your student ID**, with all alphabets in **lower case**, e.g., b07902000, not B07902000.
 - If your programming language is python3, add `#!/usr/bin/env python3` in the first line and remove `.py` from the filename.
- Your agent can use at most **1 thread**.
- Your agent will be tested by

```
$ ./game -n 0 [your_id] [our_agent] -r 3
```

Report

- Your report should contain the following:
 - How to compile your code into an agent (if your code must be compiled). **Don't upload the compiled executable file!**
 - What algorithms and heuristics you've implemented.
- Your report should be named `report.pdf`.

Directory Hierarchy

- [your_id] // e.g. b07902000
 - source // the directory contains your code
 - report.pdf
- Compress your folder into a **zip** file.

Grading Policy

- Basics:
 - Beat the agent random.
 - Beat the agent greedy.
 - `report.pdf`
- Bonus:
 - Beat the agent hidden.
 - Ranked high in class.