

10/02/2014 Sphinx Lunch

DERIVING LOCAL RELATIONAL SURFACE FORMS FROM
DEPENDENCY-BASED ENTITY EMBEDDINGS FOR
UNSUPERVISED SPOKEN LANGUAGE UNDERSTANDING

YUN-NUNG (VIVIAN) CHEN

DILEK HAKKANI-TÜR & GOKHAN TUR

Outline

Introduction

- Main Idea
- Semantic Knowledge Graph
- Semantic Interpretation via Relation

Proposed Approach

- Relation Inference from Gazetteers
- Relational Surface Form Derivation
- Probabilistic Enrichment
- Bootstrapping

Experiments

Conclusions

Main Idea

Relation Detection for Unsupervised SLU

Spoken Language Understanding (SLU): convert automatic speech recognition (ASR) outputs into pre-defined semantic output format

“when was james cameron’s avatar released”

Intent: FIND_RELEASE_DATE

Slot-Val: MOVIE_NAME=“avatar”, DIRECTOR_NAME=“james cameron”

Relation: semantic interpretation of input utterances

- movie.release_date, movie.name, movie.directed_by, director.name

Unsupervised SLU: utilize external knowledge to help relation detection
without labelled data

Semantic Knowledge Graph

Priors for SLU

What are knowledge graphs?

- Graphs with
 - strongly typed and uniquely identified entities (nodes)
 - facts/literals connected by relations (edge)

Examples:


- Satori, Google KG, Facebook Open Graph, Freebase

How large?

- > 500M entities, >1.5B relations, > 5B facts

How broad?

- Wikipedia-breadth: “American Football” \leftrightarrow “Zoos”
- Slides of Larry Heck, Dilek Hakkani-Tur, and Gokhan Tur, [Leveraging Knowledge Graphs for Web-Scale Unsupervised Semantic Parsing](#), in *Proceedings of Interspeech*, 2013.



Semantic Interpretation via Relations

Two Examples

- differentiate two examples by including the **originating node types** in the relation

User Utterance:

find movies produced by james cameron

SPARQL Query (simplified):


```
SELECT ?movie {?movie. ?movie.produced_by?producer.  
?producer.name"James Cameron".}
```

Logical Form:

$\lambda x. \exists y. \text{movie.produced_by}(x, y) \wedge \text{person.name}(y, z) \wedge z = \text{"James Cameron"}$

Relation:

movie.produced_by producer.name



User Utterance:

who produced avatar

SPARQL Query (simplified):


```
SELECT ?producer {?movie.name"Avatar". ?movie.produced_by?producer.}
```

Logical Form:


$\lambda y. \exists x. \text{movie.produced_by}(x, y) \wedge \text{movie.name}(x, z) \wedge z = \text{"Avatar"}$

Relation:


movie.name movie.produced_by



Proposed Framework



Proposed Framework



Relation Inference from Gazetteers

Gazetteers (entity lists)


"james cameron"
#movies James Cameron directed

$$P_E(t_i | w) = \frac{C(w, t_i)}{\sum_{t_k \in T(w)} C(w, t_k)}$$

↓ director
 ↓ director
producer


$$P_E(r_i | w) = P_E(t_i | w)$$

↓ movie.directed_by
 ↓ director
director.name



- Dilek Hakkani-Tur, Asli Celikyilmaz, Larry Heck, and Gokhan Tur, Probabilistic enrichment of knowledge graph entities for relation detection in conversational understanding, in *Proceedings of Interspeech*, 2014.

Proposed Framework



Relational Surface Form Derivation


Web Resource Mining

Bing query snippets including entity pairs connected with specific relations in KG

Avatar is a 2009 American epic science fiction film directed by James Cameron.

directed_by


Dependency Parsing



Relational Surface Form Derivation

Dependency-Based Entity Embeddings

1) Word & Context Extraction



Word	Contexts
\$movie	film/nsub ⁻¹
is	film/cop ⁻¹
a	film/det ⁻¹
2009	film/num ⁻¹
american, epic, science, fiction	film/nn ⁻¹

Word	Contexts
film	film/nsub, is/cop, a/det, 2009/num, american/nn, epic/nn, science/nn, fiction/nn, directed/vmod
directed	\$director/prop_by
\$director	directed/prop_by ⁻¹

Relational Surface Form Derivation

Dependency-Based Entity Embeddings

2) Training Process

- Each word w is associated with a vector v_w and each context c is represented as a vector v_c
- Learn vector representations for both words and contexts such that the dot product $v_w \cdot v_c$ associated with **good** word-context pairs belonging to the training data D is maximized

- Objective function:
$$\arg \max_{v_w, v_c} \sum_{(w,c) \in D} \log \frac{1}{1 + \exp(-v_c \cdot v_w)}$$

Word	Contexts	Word	Contexts
\$movie	film/nsub ⁻¹	film	film/nsub, is/cop, a/det, 2009/num, american/nn, epic/nn, science/nn, fiction/nn, directed/vmod
is	film/cop ⁻¹		
a	film/det ⁻¹		
2009	film/num ⁻¹		
american, epic, science, fiction	film/nn ⁻¹	directed	\$director/prep_by
		\$director	directed/prep_by ⁻¹

Relational Surface Form Derivation

Surface Form Derivation

Entity Surface Forms

- learn the surface forms corresponding to entities

$$S_i^F(w_j) = \frac{\text{sim}(w_j, e_i)}{\sum_{e_k \in E} \text{sim}(w_j, e_k)}$$

$P^F(r_i | w_j)$

based on word vector v_w

\$char, \$director, etc.

\$char: "character", "role", "who"

\$director: "director", "filmmaker"

\$genre: "action", "fiction"

→ with similar contexts

Entity Syntactic Contexts

- learn the important contexts of entities

$$S_i^C(w_j) = \frac{\text{sim}(\hat{w}_j, e_i)}{\sum_{e_k \in E} \text{sim}(\hat{w}_j, e_k)}$$

$P^C(r_i | w_j)$


based on context vector v_c

\$char: "played"

\$director: "directed"

→ frequently occurring together

Proposed Framework



Probabilistic Enrichment

Integrate relations from

- Prior knowledge $P_E(r | w)$
- Entity surface forms $P_F(r | w)$
- Entity syntactic contexts $P_C(r | w)$

r	actor	produced_by	location
$P_E(r w)$	0.7	0.3	0
$P_F(r w)$	0.4	0	0.6
$P_C(r w)$	0	0	0
Unweighted $R_w(r)$	1	1	1
Weighted $R_w(r)$	0.7	0.3	0.6
Highest Weighted $R_w(r)$	0.7	0	0.6

Integrated Relations for Words by


- **Unweighted:** combine all relations with binary values
- **Weighted:** combine all relations and keep the highest weights of relations
- **Highest Weighted:** combine the most possible relation of each word

Integrated Relations for Utterances by

$$R_u(r_i) = \max_{w \in u} R_w(r_i)$$

- Dilek Hakkani-Tur, Asli Celikyilmaz, Larry Heck, and Gokhan Tur, Probabilistic enrichment of knowledge graph entities for relation detection in conversational understanding, in *Proceedings of Interspeech*, 2014.


Proposed Framework



Boostrapping

Unsupervised Self-Training

Training a multi-label multi-class classifier estimating relations given an utterance



Experiments of Relation Detection

Dataset

Knowledge Base: Freebase

- 670K entities
- 78 entity types (movie names, actors, etc)

Relation Detection Data

- Crowd-sourced utterances
- Manually annotated with SPARQL queries → relations

Query Statistics	Dev	Test
% entity only	8.9%	10.7%
% rel only w/ specified movie names	<u>27.1%</u>	<u>27.5%</u>
% rel only w/ specified other names	39.8%	39.6%
% more complicated relations	15.4%	14.7%
% not covered	8.8%	7.6%
#utterances	3338	1084


User Utterance:

who produced avatar

Relation:

movie.name

movie.produced_by



Experiments of Relation Detection

All performance

Evaluation Metric: micro F-measure (%)

Approach	Unweighted		Weighted		Highest Weighted	
	Ori	Bootstrap	Ori	Bootstrap	Ori	Bootstrap
Gazetteer	35.21	36.91	37.93	40.10	36.08	38.89
Gazetteer + Weakly Supervised	25.07	37.39	39.04	39.07	39.40	39.98
Gazetteer + Entity Surface Form (Reg)	34.23	34.91	36.57	38.13	34.69	37.16

Baseline

Experiments of Relation Detection

All performance

Evaluation Metric: micro F-measure (%)

Approach	Unweighted		Weighted		Highest Weighted	
	Ori	Bootstrap	Ori	Bootstrap	Ori	Bootstrap
Gazetteer	35.21	36.91	37.93	40.10	36.08	38.89
Gazetteer + Weakly Supervised	25.07	37.39	39.04	39.07	39.40	39.98
Gazetteer + Entity Surface Form (Reg)	34.23	34.91	36.57	38.13	34.69	37.16
Gazetteer + Entity Surface Form (Dep)	37.44	38.37	41.01	41.10	39.19	42.74

Baseline

Words derived by dependency embeddings can successfully capture the surface forms of entity tags, while words derived by regular embeddings cannot.

Experiments of Relation Detection

All performance

Evaluation Metric: micro F-measure (%)

Approach	Unweighted		Weighted		Highest Weighted	
	Ori	Bootstrap	Ori	Bootstrap	Ori	Bootstrap
Gazetteer	35.21	36.91	37.93	40.10	36.08	38.89
Gazetteer + Weakly Supervised	25.07	37.39	39.04	39.07	39.40	39.98
Gazetteer + Entity Surface Form (Reg)	34.23	34.91	36.57	38.13	34.69	37.16
Gazetteer + Entity Surface Form (Dep)	37.44	38.37	41.01	41.10	39.19	42.74
Gazetteer + Entity Context	35.31	37.23	38.04	38.88	37.25	38.04

Baseline

Words derived from entity contexts slightly improve performance.

Experiments of Relation Detection

All performance

Evaluation Metric: micro F-measure (%)

Approach	Unweighted		Weighted		Highest Weighted	
	Ori	Bootstrap	Ori	Bootstrap	Ori	Bootstrap
Gazetteer	35.21	36.91	37.93	40.10	36.08	38.89
Gazetteer + Weakly Supervised	25.07	37.39	39.04	39.07	39.40	39.98
Gazetteer + Entity Surface Form (Reg)	34.23	34.91	36.57	38.13	34.69	37.16
Gazetteer + Entity Surface Form (Dep)	37.44	38.37	41.01	41.10	39.19	42.74
Gazetteer + Entity Context	35.31	37.23	38.04	38.88	37.25	38.04
Gazetteer + Entity Surface Form + Context	37.66	38.64	40.29	41.98	40.07	43.34

Combining all approaches performs best, while the major improvement is from derived entity surface forms.

Experiments of Relation Detection

All performance

Evaluation Metric: micro F-measure (%)

Approach	Unweighted		Weighted		Highest Weighted	
	Ori	Boostrap	Ori	Boostrap	Ori	Boostrap
Gazetteer	35.21	36.91	37.93	40.10	36.08	38.89
Gazetteer + Weakly Supervised	25.07	37.39	39.04	39.07	39.40	39.98
Gazetteer + Entity Surface Form (Reg)	34.23	34.91	36.57	38.13	34.69	37.16
Gazetteer + Entity Surface Form (Dep)	37.44	38.37	41.01	41.10	39.19	42.74
Gazetteer + Entity Context	35.31	37.23	38.04	38.88	37.25	38.04
Gazetteer + Entity Surface Form + Context	37.66	38.64	40.29	41.98	40.07	43.34

With the same information, learning surface forms from dependency-based embedding performs better, because there's mismatch between written and spoken language.

Experiments of Relation Detection

All performance

Evaluation Metric: micro F-measure (%)

Approach	Unweighted		Weighted		Highest Weighted		
	Ori	Boostrap	Ori	Boostrap	Ori	Boostrap	
Baseline	Gazetteer	35.21	36.91	37.93	40.10	36.08	38.89
	Gazetteer + Weakly Supervised	25.07	37.39	39.04	39.07	39.40	39.98
	Gazetteer + Entity Surface Form (Reg)	34.23	34.91	36.57	38.13	34.69	37.16
Proposed	Gazetteer + Entity Surface Form (Dep)	37.44	38.37	41.01	41.10	39.19	42.74
	Gazetteer + Entity Context	35.31	37.23	38.04	38.88	37.25	38.04
	Gazetteer + Entity Surface Form + Context	37.66	38.64	40.29	41.98	40.07	43.34

Weighted methods perform better when less features, and highest weighted methods perform better when more features.

Experiments of Relation Detection


Entity Surface Forms Derived from Dependency Embeddings

The functional similarity carried by dependency-based entity embeddings effectively benefits relation detection task.

Entity Tag	Derived Word
\$character	character, role, who, girl, she, he, officier
\$director	director, dir, filmmaker
\$genre	comedy, drama, fantasy, cartoon, horror, sci
\$language	language, spanish, english, german
\$producer	producer, filmmaker, screenwriter

Experiments of Relation Detection

Effectiveness of Boosting



- The best result is the combination of all approaches, because probabilities came from different resources can complement each other.
- Only adding entity surface forms performs similarly, showing that the major improvement comes from relational entity surface forms.
- Boosting significantly improves most performance

Conclusions

We propose an unsupervised approach to capture the relational surface forms including entity surface forms and entity contexts based on dependency-based entity embeddings.

The detected relations viewed as local observations can be integrated with background knowledge by probabilistic enrichment methods.

Experiments show that involving derived relational surface forms as local cues together with prior knowledge can significantly improve the relation detection task and help open domain SLU.



Q & A 😊

THANKS FOR YOUR ATTENTIONS!!